

---

# Cytoscape\_3/UserManual

	Revision History	
Revision 33	2014-02-03 20:27:53	KristinaHanspers
Revision 32	2014-01-22 23:52:54	KristinaHanspers
	included section for annotation import	
Revision 31	2014-01-06 22:17:22	KristinaHanspers
	removed annotations	
Revision 30	2014-01-06 22:15:41	KristinaHanspers
	commented out Annotations section	
Revision 29	2013-12-17 22:31:05	KristinaHanspers
	cleaned up sections list	
Revision 28	2013-12-17 21:35:01	KristinaHanspers
Revision 27	2013-12-17 19:18:51	KristinaHanspers
Revision 26	2013-12-17 19:06:52	KristinaHanspers
Revision 25	2013-12-16 22:36:56	KristinaHanspers
	Added list entry for network analyzer	
Revision 24	2013-12-14 00:29:16	KristinaHanspers
Revision 23	2013-12-14 00:22:31	KristinaHanspers
Revision 22	2013-12-13 23:52:35	KristinaHanspers
Revision 21	2013-12-12 00:20:22	KristinaHanspers
	Changed the order of sections	
Revision 20	2013-12-11 23:49:53	KristinaHanspers
	removed "Editing networks" section, now part of creating networks	
Revision 19	2013-12-11 22:07:15	KristinaHanspers
	Changed order of sections	
Revision 18	2013-12-11 17:36:46	KeiichiroOno
Revision 17	2013-12-11 01:01:49	KristinaHanspers
Revision 16	2013-12-10 23:53:57	KristinaHanspers
	removed extra horizontal break	
Revision 15	2013-12-10 23:39:51	KristinaHanspers
	removed horizontal breaks between unused sections	
Revision 14	2013-12-10 19:26:14	KristinaHanspers
Revision 13	2013-12-04 23:40:22	KristinaHanspers
Revision 12	2013-12-04 23:21:30	KristinaHanspers
	added command tool section	
Revision 11	2013-11-26 22:12:22	KristinaHanspers
	Added horizontal rules between major sections	
Revision 10	2013-11-26 01:22:53	KeiichiroOno
Revision 9	2013-11-20 22:30:16	KristinaHanspers
	changing form visual styles to styles	
Revision 8	2012-12-21 13:11:32	PietMolenaar
	Changed title of the 'Node and Edge attributes' section to 'Node and Edge data'	
Revision 7	2012-09-20 17:38:40	samad
Revision 6	2012-07-11 23:21:53	RozaGhamari
Revision 5	2012-06-12 16:51:16	KeiichiroOno
Revision 4	2012-05-17 18:35:01	PengLiangWang
Revision 3	2012-05-17 18:17:55	PengLiangWang
Revision 2	2012-02-17 20:40:45	MikeSmoot
Revision 1	2012-02-17 20:35:55	MikeSmoot

## Table of Contents

Cytoscape 3.1.0 User Manual .....	4
Introduction .....	4
Launching Cytoscape .....	4
System requirements .....	4
Directory Location .....	4
Getting Started .....	5
Command Line Arguments .....	7
Quick Tour of Cytoscape .....	8
Welcome Screen .....	8
Basic Features .....	9
The Menus .....	11
Network Management .....	16
The Network Overview Window .....	19
Creating Networks .....	20
Import Fixed-Format Network Files .....	20
Import Networks from Unformatted Table Files .....	21
Import Networks from Public Databases .....	25
Getting Started .....	26
Example: Retrieving Protein-Protein Interaction Networks from Multiple Databases .....	26
Create a New Network Manually .....	28
Nested Networks .....	31
Creating Nested Networks .....	32
Visualization of Nested Networks .....	32
Programmatically Manipulating Nested Networks .....	32
Supported Network File Formats .....	32
SIF Format .....	33
NNF .....	35
GML Format .....	39
XGMML Format .....	39
SBML (Systems Biology Markup Language) Format .....	40
BioPAX (Biological Pathways eXchange) Format .....	40
PSI-MI Format .....	40
GraphML .....	40
Delimited Text Table and Excel Workbook .....	40
Cytoscape.js JSON .....	40
Node and Edge Column Data .....	45
Import Data Table Files .....	45
Legacy Cytoscape Attributes Format .....	47
Import Data Table from Public Databases .....	51
Ontology and Annotation Import .....	54
Ontology and Annotation File Format .....	55
Default List of Ontologies .....	55
Gene Association File .....	56
Import Ontology and Annotation .....	57
Column Data Functions and Equations .....	58
Column Formulas .....	58
Introduction .....	58
Operators .....	59
Supported Functions .....	59
Pitfalls .....	61
Useful Tips .....	62

---

The Formula Builder .....	62
A Note for App Writers .....	62
Finding and Filtering Nodes and Edges .....	62
Search Bar .....	62
Filters .....	63
The Select Menu .....	68
Navigation and Layout .....	69
Basic Network Navigation .....	69
Other Mouse Behaviors .....	69
Automatic Layout Algorithms .....	71
yFiles Layouts .....	76
Layout Parameters .....	79
Edge Bend and Automatic Edge Bundling .....	80
Manual Layout .....	83
Node Movement and Placement .....	89
Styles .....	89
What are Styles? .....	89
Introduction to the Style interface .....	96
Introduction to Style .....	97
Custom Graphics .....	106
Styles Tutorials .....	110
Advanced Topics .....	124
Managing Styles .....	129
App Manager .....	130
What are apps? .....	130
Installing Apps .....	130
Managing your Installed Apps .....	131
Command Tool .....	132
Merge .....	133
Merge Networks .....	133
Merge Tables .....	134
NetworkAnalyzer .....	134
Network Analysis .....	134
Subnetwork Creation .....	138
Cytoscape Preferences .....	139
Managing Properties .....	139
Managing Bookmarks .....	140
Managing Proxy Servers .....	141
Managing Group View .....	142
Linkout .....	142
Adding and Removing Links .....	143
Panels .....	145
What are Panels? .....	145
Basic Usage .....	146
Rendering Engine .....	147
What is Level of Detail (LOD)? .....	147
Cytoscape.js and Cytoscape .....	149
What is Cytoscape.js? .....	149
Data Exchange between Cytoscape and Cytoscape.js .....	152
Build Your Own Web Application with Cytoscape.js .....	153
Scripting .....	154
Scripting in Cytoscape 3 .....	154
Run Cytoscape from Command Line .....	154
Experimental: Adding Other JSR 223 Compatible Scripting Engines .....	156

---

# Cytoscape 3.1.0 User Manual

The Cytoscape User Manual copyright is owned by The Cytoscape Consortium, and is made available under the same GPL license as Cytoscape itself: LGPL 2.1, the GNU Lesser General Public License, version 2.1, February 1999 available in text at <http://www.gnu.org/licenses/lgpl-2.1.html>.

Copyright (c) 2001-2014 The Cytoscape Consortium

## Introduction

Cytoscape 3.1.0 is the latest version of Cytoscape, building upon the new architecture, developer API and set of user controls established in the 3.x series. If you're familiar with former versions of Cytoscape, this version will feel completely familiar and you'll be all set to go. In future releases, we will continue to tweak and improve both the software and the documentation. This manual will be updated to reflect all the latest changes.

*This manual describes the installation and use of Cytoscape. For a more thorough understanding of Cytoscape and its ecosystem, we highly recommend reading the **Welcome Letter** accessible on the <http://cytoscape.org> website.*

## Launching Cytoscape

Cytoscape is a Java application verified to run on the Linux, Windows, and Mac OS X platforms. Although not officially supported, other UNIX platforms such as Solaris or FreeBSD may run Cytoscape if Java version 6 or later is available for the platform.

## System requirements

The system requirements for Cytoscape depend on the size of the networks the user wants to load, view and manipulate.

	Small Network Visualization	Large Network Analysis/Visualization
<b>Processor</b>	1GHz	As fast as possible
<b>Memory</b>	512MB	2GB+
<b>Graphics Card</b>	Integrated video	High-end graphics Card
<b>Monitor</b>	XGA (1024X768)	Wide or Dual Monitor

*Specific system requirements, limitations, and configuration options apply to each platform, as described in the **Release Notes** available on the <http://cytoscape.org> website.*

## Directory Location

For the application to work properly, all files should be left in the directory in which they were unpacked. The core Cytoscape application assumes this directory structure when looking for the various libraries needed to run the application. For more information on program directories, see the directory table below.



# Getting Started

## Install Java

The 64-bit Java Runtime Environment (JRE) is recommended – the latest Oracle distribution can be found at Latest JRE. Cytoscape has been tested with Java 6 and 7, but not later versions. For 64-bit Windows systems, the Windows x64 version is recommended. For Linux systems, Oracle Java 7 has caused Cytoscape crashes on some platforms, and OpenJDK7 (<http://openjdk.java.net>) is a good alternative. For Mac systems, the Cytoscape installer automatically triggers Java6 to install if no other Java version is present.

Note that if you are a Windows user and you choose to download Java from <http://java.net>, beware that the default download from this site is 32-bit JRE. If your Windows is 64-bits, the 64-bit JRE is recommended.

For additional information, select the Release Notes button on the Cytoscape web site (<http://cytoscape.org>).

## Install Cytoscape

### Downloading and installing

There are a number of options for downloading and installing Cytoscape. See the download page at the <http://cytoscape.org> website for all options.

- Automatic installation packages exist for Windows, Mac OS X, and Linux platforms.
- You can install Cytoscape from a compressed archive distribution.
- You can build Cytoscape from the source code.
- You can check out the latest and greatest software from our Git repository.

Cytoscape installations (regardless of platform) containing the following files and directories:

File/Directory	Description
p/Cytoscape_v3.1.0	Cytoscape program files, startup scripts, and default location for session files
p/Cytoscape_v3.1.0/Cytoscape.vmoptions	Cytoscape memory configuration settings
p/Cytoscape_v3.1.0/sampleData	Preset networks as described in the embedded README.txt file
p/Cytoscape_v3.1.0/framework	Cytoscape program files
u/CytoscapeConfiguration	Cytoscape properties and program cache files
u/CytoscapeConfiguration/cytoscape3.props	Cytoscape configuration settings

The *p/* directory signifies the program directory, which varies from platform to platform.

The *u/* directory signifies the user's home directory, which varies from user to user and from platform to platform.

### A quick note on upgrading


If you have a previous installation you have two options:

1. Starting with a clean slate. For this you should delete your previous installation directory and the `CytoscapeConfiguration` directory (see below for the location of this directory).
2. Just keep what you have and simply pick a distinct, new directory for installation. In the unlikely event that you should encounter any problem, delete the `.props` files in your `CytoscapeConfiguration` directory. If that doesn't help try deleting the `CytoscapeConfiguration` directory. This latter step will cause you to lose all of the apps that you have installed via the App Store, so only do that if you are having problems or if you don't mind reinstalling your apps. The core apps will not be affected by this step.

## Launch the application

As with any application: double-click on the icon created by the installer or by running `cytoscape.sh` from the command line (Linux or Mac OS X) or double-clicking `cytoscape.bat` (Windows).

After launching Cytoscape a window will appear that looks like this:



*If your Cytoscape window does not resemble this, further configuration may be required. Consult the **Release Notes** available on the <http://cytoscape.org> website.*

## Note on Memory Consumption

For most regular users Cytoscape will estimate the proper amount of memory, if so; you can skip this section and continue to the Quick Tour.

Cytoscape will display the current memory usage during runtime in the lower right corner of the main interface. You can click on the **Memory** button at any time to access an option to **Free Unused Memory**. While most users won't need to use this option, it can be useful for users who have multiple large networks loaded.

## Overall Memory Size for Cytoscape

By default, Cytoscape uses an estimate for memory allocation based on your operating system, system architecture (32 or 64 bit), and installed memory. To increase the maximum memory size for Cytoscape, you can specify it in a file, residing in the same directory as the Cytoscape executable, called `Cytoscape.vmoptions` with one option per line and lines separated by linefeeds. The last line must also be followed by a linefeed. The one exception to this rule is the MacOS platform if you are launching Cytoscape by clicking on the Cytoscape icon. (In that case you will have to edit the `../Cytoscape.app/Contents/Info.plist` file instead!) For example, if you want to assign 4GB of memory, create the `Cytoscape.vmoptions` file containing the single line (Do not forget the linefeed at the end of the line!):

```
-Xmx4GB
```

## Stack Size

There is one more option related to memory allocation. Some of the functions in Cytoscape use larger stack space (a temporary memory for some operations, such as Layout). Since this value is set independently from the `Xmx` value above, sometimes Layout algorithms fails due to the *out of memory* error. To avoid this, you can set larger heap size for Cytoscape tasks by using the `taskStackSize` option in the `cytoscape3.props` file (located in the `CytoscapeConfiguration` directory). This can be edited within Cytoscape using the Preferences Editor (Edit-Preferences-Properties...) - look for `taskStackSize`. The value should be specified in bytes.

# Command Line Arguments

Cytoscape recognizes a number of optional command line arguments, including run-time specification of network files, node and edge data files, and session files. This is the output generated when Cytoscape is executed with the `-h` or `--help` flag:

```
usage: cytoscape.{sh|bat} [OPTIONS]
-h,--help          Print this message.
-v,--version       Print the version number.
-s,--session <file> Load a cytoscape session (.cys) file.
-N,--network <file> Load a network file (any format).
-P,--props <file>  Load cytoscape properties file (Java properties
                   format) or individual property: -P name=value.
-V,--vizmap <file> Load vizmap properties file (Cytoscape VizMap
                   format).
-S,--script <file> Execute commands from script file.
-R,--rest <port>   Start a rest service.
```

Any file specified for an option may be specified as either a path or as a URL. For example you can specify a network as a file (assuming that `myNet.sif` exists in the current working directory): `cytoscape.sh -N myNet.sif`. Or you can specify a network as a URL: `cytoscape.sh -N http://example.com/myNet.sif`.

Argument	Description
<code>-h,--help</code>	This flag generates the help output you see above and exits.
<code>-v,--version</code>	This flag prints the version number of Cytoscape and exits.
<code>-s,--session &lt;file&gt;</code>	This option specifies a session file to be loaded. Since only one session file can be loaded at a given time, this option may only specified once on a given command


	line. The option expects a <code>.cys</code> Cytoscape session file. It is customary, although not necessary, for session file names to contain the <code>.cys</code> extension.
<code>-N,--network &lt;file&gt;</code>	This option is used to load all types of network files. SIF, GML, and XGMML files can all be loaded using the <code>-N</code> option. You can specify as many networks as desired on a single command line.
<code>-P,--props &lt;file&gt;</code>	This option specifies Cytoscape properties. Properties can be specified either as a properties file (in Java's standard properties format), or as individual properties. To specify individual properties, you must specify the property name followed by the property value where the name and value are separated by the '=' sign. For example to specify the <code>defaultSpeciesName: cytoscape.sh -P defaultSpeciesName=Human</code> . If you would like to include spaces in your property, simply enclose the name and value in quotation marks: <code>cytoscape.sh -P "defaultSpeciesName=Homo Sapiens"</code> . The property option subsumes previous options <code>-noCanonicalization</code> , <code>-species</code> , and <code>-bioDataServer</code> . Now it would look like: <code>cytoscape.sh -P defaultSpeciesName=Human -P noCanonicalization=true -P bioDataServer=myServer</code> .
<code>-V,--vizmap &lt;file&gt;</code>	This option specifies a Style file.
<code>-S,--script &lt;file&gt;</code>	This option executes commands from a specified Cytoscape script file.
<code>-R,--rest &lt;port&gt;</code>	This option starts a Cytoscape REST service on the specified port.

All options described above (except for starting a REST service) can be accessed from the menu once Cytoscape is running.

## Quick Tour of Cytoscape

### Welcome Screen

When you start Cytoscape, you can access basic functions from the **Welcome Screen**:




The **Welcome Screen** is designed to access commonly used features of Cytoscape including:

- Create new network
- Import network
  - From file
  - From public database
- Import interactome for model organisms
- Open recently used session file

Also, a news panel always display latest information for users. For information on user privacy, see the **Cytoscape Privacy Policy**.

## Basic Features

When a network is loaded, Cytoscape will look similar to the image below:



Most functionalities are self-explanatory, but we'll go through a concise explanation for clarity. The main window here has several components:

- The Menu Bar at the top (see below for more information about each menu).
- The Tool Bar, which contains icons for commonly used functions. These functions are also available via the menus. Hover the mouse pointer over an icon and wait momentarily for a description to appear as a tooltip.
- The Network Panel (Network tab of the Control Panel, top left). This contains an optional network overview pane (shown at the bottom left).
- The main Network View Window, which displays the network.
- The Table Panel (bottom right panel), which displays columns of selected nodes and edges and enables you to modify the values of column data.

The Network Panel and Table Panel are dockable tabbed Panels. You can undock any of these panels by clicking on the **F l o a t W i n d o w** control



in the upper-right corner of the CytoPanel. This is useful when you want assign the network panel as much screen space as possible. To dock the window again, click the **D o c k W i n d o w** icon




C l i c k i n g t h e **H i d e P a n e l** i c o n



will hide the panel; this can be shown again by choosing **View** → **Show** and selecting the relevant panel.


If you click this control, for example on the Table Panel, you will now have two Cytoscape windows, the main window, and a new window labeled Table Panel, similar to the one shown below. A popup will be displayed when you put the mouse pointer on a cell.



Note that Table Panel now has a Dock Window control. If you click this control, the window will dock onto the main window. For more information on the panels in Cytoscape, see the **Panels** section.

## Network Editing

Cytoscape also has an edit functionality that enables you to build and modify networks interactively within the network canvas. To edit a network, just right-click on the open space of network window, select the menu item **Add** → **Node**, a new node will be added to the canvas. To add an edge, right click on a node, choose the menu item **Edit** → **Add Edge**. Then select the target node, a new edge will be added between the two nodes. In a similar way annotation objects can be added; pictures, shapes or textboxes; much like in MS PowerPoint or similar software. Detailed information on network editing can be found in the **Editing Networks** section.




## The Menus

### File

The File menu contains most basic file functionality: **File** → **Open** for opening a Cytoscape session file; **File** → **New** for creating a new network, either blank for editing, or from an existing network; **File** → **Save** for saving a session file; **File** → **Import** for importing data such as networks and data; and **File** → **Export** for exporting data and images. **File** → **Export** → **Network View as Graphics** lets you export the network in either JPEG, PDF, PNG, Post Script or SVG format.

**File** → **Recent Session** will list recently opened session files for quick access. **File** → **Run** allows you to specify a Cytoscape script file to run, and **File** → **Print Current Network...** allows printing.



## Edit


The **Edit** menu contains **Cut**, **Copy** and **Paste** functions, as well as **Undo** and **Redo** functions which undo and redo edits made in the **Table Panel**, the **Network Editor** and to layout.

There are also options for creating and destroying views (graphical representations of a network) and networks (the raw network data – not yet visualized), as well as an option for deleting selected nodes and edges from the current network. All deleted nodes and edges can be restored to the network via **Edit** → **Undo**.

There are also other editing options; **Remove Duplicated Edges** will delete edges that are complete duplicates, keeping one edge, **Remove Self-Loops** removes edges that have the same source and target node, and **Delete Selected Nodes and Edges...** deletes a selected subset of the network. **Rename Network...** allows you to rename the currently selected network.


Editing preferences for properties and apps is found under **Edit** → **Preferences** → **Properties...** More details on how to edit preferences can be found here.






## View

The **View** menu allows you to display or hide the **Control Panel**, **Table Panel**, **Tool Panel** and the **Result Panel**. It also provides the control of other view-related functionality.




## Select

The **Select** menu contains different options for selecting nodes and edges.




## Layout

The **Layout** menu has an array of features for visually organizing the network. The features in the top portion of the network (**Bundle Edges**, **Clear Edge Bends**, **Rotate**, **Scale**, **Align and Distribute**) are tools for manipulating the network visualization. The bottom section of the menu lists a variety of layout algorithms which automatically lay a network out.



## Apps

The **Apps** menu gives you access to the **App Manager** (**Apps** → **App Manager**) for managing (install/update/delete) your apps and may have options added by apps that have been installed. Depending on which apps are loaded, the apps that you see may be different than what appear here. The below picture shows a Cytoscape installation without installed apps.




Note: A list of available Cytoscape apps with descriptions is available online at: <http://apps.cytoscape.org>

In previous versions of Cytoscape, apps were called plugins and served a similar function.


## Tools

The **Tools** menu contains advanced features like the **Command Line Dialog**, **Network Analyzer**, **Network Merge** and **Workflow**.




## Help

The **Help** menu allows you to launch the online help viewer and browse the table of contents for this manual (**Contents**).



The **Citations** option displays the main literature citation for Cytoscape, as well as a list of literature citations for installed apps. The list will be different depending on the set of apps you have installed.




The **Update Organism Preset Networks** option updates the preset networks available on the **Welcome** screen to the latest version.

The **Help** menu also allows you to connect directly to Cytoscape Help Desk and the Bug Report interface.

## Network Management

Cytoscape allows multiple networks to be loaded at a time, either with or without a view. A network stores all the nodes and edges that are loaded by the user and a view displays them.

An example where a number of networks have been loaded is shown below:



The network manager (in Control Panel) shows the networks that are loaded. Clicking on a network here will make that view active in the main window, if the view exists. Each network has a name and size (number of nodes and edges), which are shown in the network manager. If a network is loaded from a file, the network name is the name of the file.

Some networks are very large (thousands of nodes and edges) and can take a long time to display. For this reason, a network in Cytoscape may not contain a "view". Networks that have a view are in normal black font and networks that don't have a view are highlighted in red. You can create or destroy a view for a network by right-clicking the network name in the network manager or by choosing the appropriate option in the **Edit** menu. You can also destroy previously loaded networks this way.


Certain operations in Cytoscape will create new networks. If a new network is created from an old network, for example by selecting a set of nodes in one network and copying these nodes to a new network (via the **File** → **New** → **Network** option), it will be shown immediately follows the network that it was derived from.

The available network views are also arranged as multiple overlapping windows in the network view window. You can maximize, minimize, and destroy network views by using the normal window controls for your operating system.


## Arrange Network Windows

When you work on multiple networks, you can arrange the network view windows under **View** → **Arrange Network Windows**.

Vertical




Grid



## The Network Overview Window

The network overview window shows an overview (or "bird's eye view") of the network. It can be used to navigate around a large network view. The blue rectangle indicates the portion of the network currently displayed in the network view window, and it can be dragged with the mouse to view other portions of the network. Zooming in will cause the rectangle to appear smaller and vice versa.



## Creating Networks

There are 4 different ways of creating networks in Cytoscape:

1. Importing pre-existing, fixed-format network files.
2. Importing pre-existing, unformatted text or Excel files.
3. Importing data from from public databases.
4. Creating an empty network and manually adding nodes and edges.

## Import Fixed-Format Network Files

Network files can be specified in any of the formats described in the **Supported Network Formats** section. Networks are imported into Cytoscape through the **File → Import → Network** menu. The network file can either be located directly on the local computer, or found on a remote computer (in which case it will be referenced with a URL).

## Load Networks from Local Computer


In order to load a network from a local file you can select **File → Import → Network → File...** or click



on the tool bar. Choose the correct file in the file chooser dialog and press Open. Some sample network files of different types have been included in the sampleData folder in Cytoscape.



After you choose a network file, another dialog will pop up. Here, you can choose either to create a new network collection for the new network, or load the new network into an existing network collection. When you choose the latter, make sure to choose the right mapping column to map the new network to the existing network collection.




Network files in SIF, GML, and XGMML formats may also be loaded directly from the command line using the `-N` option.

## Load Networks from a Remote Computer (URL import)

To load a network from a remote file, you can select **File** → **Import** → **Network** → **URL...** or click on




on the tool bar. In the import network dialog, insert the appropriate URL, either manually or using URL bookmarks. Bookmarked URLs can be accessed by clicking on the arrow to the right of the text field (see the Bookmark Manager in Preferences for more details on bookmarks). Also, you can drag and drop links from a web browser to the URL text box. Once a URL has been specified, click on the OK button to load the network.



Another issue for network import is the presence of firewalls, which can affect which files are accessible to a computer. To work around this problem, Cytoscape supports the use of proxy servers. To configure a proxy server, go to **Edit** → **Preferences** → **Proxy Settings...** This is further described in the **Preferences** section.

## Import Networks from Unformatted Table Files

Cytoscape supports the import of networks from delimited text files and Excel workbooks using **File** → **Import** → **Network** → **File...** An interactive GUI allows users to specify parsing options for specified files. The screen provides a preview that shows how the file will be parsed given the current configuration. As the configuration changes, the preview updates automatically. In addition to specifying how the file will be parsed, the user must also choose the columns that represent the source and target nodes as well as an optional edge interaction type.



## Supported Files

The **Import Network from Table** function supports delimited text files and single-sheet Microsoft Excel Workbooks. The following is a sample table file:

source	target	interaction	boolean	data	string	floating point	data
YJR022W	YNR053C	pp	TRUE	abcd12371	1.2344543		
YER116C	YDL013W	pp	TRUE	abcd12372	1.2344543		
YNL307C	YAL038W	pp	FALSE	abcd12373	1.2344543		
YNL216W	YCR012W	pd	TRUE	abcd12374	1.2344543		
YNL216W	YGR254W	pd	TRUE	abcd12375	1.2344543		

The network table files should contain at least two columns for creating network with edges. If the file has only one column, the created network will not contain any edges. The interaction type is optional in this format. Therefore, a minimal network table looks like the following:

```
YJR022W YNR053C
YER116C YDL013W
YNL307C YAL038W
YNL216W YCR012W
YNL216W YGR254W
```

One row in a network table file represents an edge and its edge data columns. This means that a network file is considered a combination of network data and edge column data. A table may contain columns that aren't meant to be edge data. In this case, you can choose not to import those columns by clicking on the column header in the preview window. This function is useful when importing a data table like the following (1):

Unique ID A	Unique ID B	Alternative ID A	Alternative ID B	Aliases A	Aliases B	Interaction detection methods	First author surnames	Pubmed IDs	species A	species B	Interactor types	Source database	Interaction ID
7205	5747 TRIP6	PTX2	Q15854	C05397-1	vv HP9D	Currently not available	Currently not available	14688269 15892868(Marcotte)	Mammalia	Homo sapiens	protein protein	HPKD Marcotte	0
4174	7311 MCM5	UBA52	P13092	P62987	neighbouring_reaction	Currently not available	Currently not available	15608231(Reactome)	Homo sapiens	Homo sapiens	protein protein	Reactome	1
7040	7040 TGF81	TGF81	P01137	P01137	nmr: nuclear magnetic resonance	Currently not available	Currently not available		8679613 Homo sapiens	Homo sapiens	protein protein	BIND	2

This data file is a tab-delimited text file and contains network data (interactions), edge data, and node data. To import network and edge data from this table, choose Unique ID A as source, Unique ID B as target, and Interactor types as interaction type. Next, turn off columns used for node data (Alternative ID A, species B, etc.). Other columns can be imported as edge data.

The network import function cannot import node table columns - only edge table columns. To import node table columns from this table, please see the **Node and Edge Column Data** section of this manual.

Note (1): This data is taken from the *A merged human interactome* datasets by Andrew Garrow, Yeyejide Adeleye and Guy Warner (Unilever, Safety and Environmental Assurance Center, 12 October 2006). Actual data files are available at [http://www.cytoscape.org/cgi-bin/moin.cgi/Data\\_Sets/](http://www.cytoscape.org/cgi-bin/moin.cgi/Data_Sets/)

## Basic Operations

To import network from text/Excel tables, please follow these steps:

1. Select **File** → **Import** → **Network** → **File...** or click on



on the tool bar.

2. Select a table file in the file chooser dialog.
3. Define the interaction parameters by specifying which columns of data contain the Source Interaction, Target Interaction, and Interaction Type. Setting the Interaction Type as Default Interaction will result in all interactions being given the value pp; this value can be modified in **Advanced Options** (below).
4. (Optional) Define edge table columns, if applicable. Network table files can have edge table columns in addition to network data.
  - Enable/Disable Table Columns - By *left*-clicking on a column header in the preview table, you can enable/disable edge column data. If the header is checked and entries are blue, the column will be imported as an edge column data. For example, the table below shows that columns 1 through 3 will be used as network data, column 4 will not be imported, and columns 5 and 6 will be imported as edge table column data.

Column 1	Column 2	Column 3	Column 4	Column 5	Column 6
YKR026C	YGL122C	pp	FALSE	abcd12345	1.2344543
YGR218W	YGL097W	pp	TRUE	abcd12346	1.2344543
YGL097W	YOR204W	pp	TRUE	abcd12347	1.2344543
YLR249W	YPR080W	pp	TRUE	abcd12348	1.2344543
YLR249W	YBR118W	pp	TRUE	abcd12349	1.2344543
YLR293C	YGL097W	pp	TRUE	abcd12350	1.2344543
YMR146C	YDR429C	pp	TRUE	abcd12351	1.2344543
YDR429C	YFL017C	pp	TRUE	abcd12352	1.2344543
YPR080W	YAL003W	pp	TRUE	abcd12353	1.2344543
YBR118W	YAL003W	pp	TRUE	abcd12354	1.2344543
YOL123W	YGL044C	pp	TRUE	abcd12355	1.2344543
YPL211W	YGR014W	pp	TRUE	abcd12356	1.2344543
YJL030W	YGL229C	pp	TRUE	abcd12357	1.2344543
YJL013C	YGL229C	pp	TRUE	abcd12358	1.2344543

- Change Column Name and Data Types - If you right-click on a column header in the preview table, you can modify the column name and data type. For more detail, see **Modify Column Name/Type** below.

5. Click the Import button.

## Import List of Nodes Without Edges

The table import feature supports lists of nodes without edges. If you select only a source column, it creates a network without interactions. This feature is useful with the node expansion function available from some web service clients. Please read the section **Importing Networks from External Database** for more detail.


## Advanced Options

You can select several options by checking the **Show Text File Import Options** checkbox.

- Delimiter: You can select multiple delimiters for text tables. By default, Tab and Space are selected as delimiters.
- Preview Options: When you select a network table file, the first 100 entries will be displayed in the preview panel. To display more entries, change the value for this option. If you want to show all entries in the file, select **Show all entries in the file**. You will need to click the Reload button to update the Preview panel.
- Column Names
  - Transfer first line as column names: Selecting this option will cause all edge columns to be named according to the first data entry in that column.
  - Start Import Row: Set which row of the table to begin importing data from. For example, if you want to skip the first 3 rows in the file, set 4 for this option.
  - Comment Line: Rows starting with this character will not be imported. This option can be used to skip comment lines in text files.
- Network Import Options: If the **Interaction Type** is set to **Default Interaction**, the value here will be used as the interaction type for all edges.

## Modify Column Name/Type

In the **Import Network from Table** interface, you can change the name and data type of column by right-clicking on any column header:



Column names and data types can be modified here.

- Modify Column Name - just enter a new column name and click OK.
- Modify Column Data Type - The following column data types are supported:
  - String
  - Boolean (True/False)
  - Integer
  - Floating Point
  - List of (one of) String/Boolean/Integer/Floating Point

Cytoscape has a basic data type detection function that automatically suggests the column data type according to its entries. This can be overridden by selecting the appropriate data type from the radio buttons provided. For lists, a global delimiter must be specified (i.e., all cells in the table must use the same delimiter).

## Import Networks from Public Databases

Cytoscape has a feature called **Import Network from Public Databases**. Users can access various kinds of databases through this function, **File** → **Import** → **Network** → **Public Databases...**

### **What is a Web Service?**

*A web service is a standardized, platform-independent mechanism for computers to interact over the internet. These days, many major biological databases publish their data with a web service API:*

- *List of Biological Web Services: <http://taverna.sourceforge.net/services>*
- *Web Services at the EBI: <http://www.ebi.ac.uk/Tools/webservices/>*


*Cytoscape core developer team have developed several web service clients using this framework. Cytoscape supports many web services including:*

- *PSIQUIC: Standard web service for biological interaction data sets. The full list of PSIQUIC-compatible databases is available here.*

The following sections describe how to import network from external databases.


## Getting Started

To get started, select **File** → **Import** → **Network** → **Public Databases....**




## Example: Retrieving Protein-Protein Interaction Networks from Multiple Databases

- Select **File** → **Import** → **Network** → **Public Databases....**
- From the pull-down menu, select the **Interaction databases Universal Client**.
- Enter one or more search terms, such as BRCA1.
- Click the **Search** button to start the search.
- Select databases from the hits. This selection will be saved as your default database list.
- Click the **Import** button to import selected network data.



After confirming the download of interaction data, the network of BRCA1 will be imported and visualized.





**Tip: Expanding the Network:** Several of the Cytoscape web services provide additional options in the node context menu. To access these options, right-click on a node and select **Apps → Extend Network by public interaction database...**. For example, in the screenshot, we have loaded the BRCA1 network from IntAct, and have chosen to merge this node's neighbors into the existing network.

## PSICQUIC Options

PSICQUIC Web Service Client has three search modes:

- Search by ID
- Search by MIQL
- Search by Species


By default, search mode is set to **Search by ID**. You can search all databases by ID, such as gene symbol, Uniprot ID, or NCBI gene ID. If the search mode is set to MIQL, you can use MIQL for search. If you want to search interactions by keywords or specific functions, this is the powerful query language to filter the result. The last option is for importing all interactions for the species (i.e., interactome).

## Create a New Network Manually

A new, empty network can also be created and nodes and edges manually added. To create an empty network, go to **File → New → Network → Empty Network**, and then manually add network components by right-clicking on the network canvas or on a node.

## Adding a Node



To add a new node, right-click on an empty space of the network view panel. Select **Add → Node** item from the pop-up menu.



## Adding an Edge

To add an edge to connect nodes, right-click on the source node. Select **Edit → Add Edge** from the pop-up menu. Next, click on the target node. The Images below show the two steps for drawing an edge between two nodes. You can abort the drawing of the edge by pressing Esc key. You can also select two or more nodes to connect and in the right-click menu select **Add → Edges Connecting Selected Nodes** to create edges connecting all selected nodes.






You can delete nodes and edges by selecting a number of nodes and edges, then selecting **Edit** → **Cut**. You can also delete selected nodes and edges from the **Edit** menu, under **Edit** → **Delete Selected Nodes and Edges...**. You can recover any nodes and edges deleted from a network by going to **Edit** → **Undo**.

## Grouping nodes


Any number of nodes can be grouped together and displayed as either one group node or as the individual nodes. To create a group, select two or more nodes and right-click to select **Group** → **Group Selected Nodes**. You will be prompted to select a name for the group node. Once a group is created, you can use

the right-click menu to collapse or expand the group. You can also quickly collapse/expand a group by double-clicking on the group node or any of its children to toggle back and forth.

**Collapsed group**




**Expanded group**



## Adding Network Annotations

Annotations in the form of text, images or shapes can be added to the network canvas by right-clicking anywhere on the canvas and selecting one of the Annotation choices in the **Add** menu. You can add an image of your own, choose from a shapes library or add either plain or bounded text. Shapes and text are customizable and any added annotations can be edited from the right-click context menu.



## Nested Networks

Cytoscape has the ability to associate a **Nested Network** with any node. A nested network is any other network currently defined in Cytoscape. This capability allows for creation of network hierarchies as well as circular relationships. For example, various module-finding plugins make use of nested networks in the overview network that they generate. There each node representing a module contains a nested network.


## Creating Nested Networks

There are currently two ways in which a user can create nested networks.

- By importing a Nested Network Format (NNF) file. (See: **NNF Network Format**).
- By manually constructing networks and assigning nested networks to individual nodes through the right-click node context menu. (See **Nested Network Node Context Menu**).

## Visualization of Nested Networks

Nodes containing nested networks that are zoomed in sufficiently display an image for the nested network. If no current network view exists for the nested network the image will be a default icon, otherwise it will be a low-resolution rendering of the nested network's current layout.



## Programmatically Manipulating Nested Networks

The `giny.model.node` interface defines two methods:

```
public void setNestedNetwork(final GraphPerspective graphPerspective);
```

This will assign a "network" (`GraphPerspective`) to a `Node` or replace the assigned network at a node if there was a prior existing one. In order to remove a nested network, please pass null to this method.

```
public GraphPerspective getNestedNetwork();
```

If a `Node` has an associated nested network, it will be returned by this method. If no associated nested network exists, null will be returned instead.

## Supported Network File Formats

Cytoscape can read network/pathway files written in the following formats:

- Simple interaction file (SIF or `.sif` format)

- Nested network format (NNF or .nnf format)
- Graph Markup Language (GML or .gml format)
- XGMML (extensible graph markup and modelling language).
- SBML
- BioPAX
- PSI-MI Level 1 and 2.5
- GraphML
- Delimited text
- Excel Workbook (.xls, .xlsx)
- Cytoscape.js JSON

The SIF format specifies nodes and interactions only, while other formats store additional information about network layout and allow network data exchange with a variety of other network programs and data sources. Typically, SIF files are used to import interactions when building a network for the first time, since they are easy to create in a text editor or spreadsheet. Once the interactions have been loaded and network layout has been performed, the network may be saved to GML or XGMML format for interaction with other systems. All file types listed (except Excel) are text files and you can edit and view them in a regular text editor.

## SIF Format

The simple interaction format is convenient for building a graph from a list of interactions. It also makes it easy to combine different interaction sets into a larger network, or add new interactions to an existing data set. The main disadvantage is that this format does not include any layout information, forcing Cytoscape to re-compute a new layout of the network each time it is loaded.

Lines in the SIF file specify a source node, a relationship type (or edge type), and one or more target nodes:

```
nodeA <relationship type> nodeB
nodeC <relationship type> nodeA
nodeD <relationship type> nodeE nodeF nodeB
nodeG
...
nodeY <relationship type> nodeZ
```

A more specific example is:

```
node1 typeA node2
node2 typeB node3 node4 node5
node0
```

The first line identifies two nodes, called node1 and node2, and a single relationship between node1 and node2 of type typeA. The second line specifies three new nodes, node3, node4, and node5; here "node2" refers to the same node as in the first line. The second line also specifies three relationships, all of type typeB and with node2 as the source, with node3, node4, and node5 as the targets. This second form is simply shorthand for specifying multiple relationships of the same type with the same source node. The third line indicates how to specify a node that has no relationships with other nodes. This form is not needed

for nodes that do have relationships, since the specification of the relationship implicitly identifies the nodes as well.

Duplicate entries are ignored. Multiple edges between the same nodes must have different edge types. For example, the following specifies two edges between the same pair of nodes, one of type `xx` and one of type `yy`:

```
node1 xx node2
node1 xx node2
node1 yy node2
```

Edges connecting a node to itself (self-edges) are also allowed:

```
node1 xx node1
```

Every node and edge in Cytoscape has a name column. For a network defined in SIF format, node names should be unique, as identically named nodes will be treated as identical nodes. The name of each node will be the name in this file by default (unless another string is mapped to display on the node using styles). This is discussed in the section on **Styles**. The name of each edge will be formed from the name of the source and target nodes plus the interaction type: for example, `sourceName (edgeType) targetName`.

The tag `<edgeType>` can be any string. Whole words or concatenated words may be used to define types of relationships, e.g. `geneFusion`, `cogInference`, `pullsDown`, `activates`, `degrades`, `inactivates`, `inhibits`, `phosphorylates`, `upRegulates`, etc.

Some common interaction types used in the Systems Biology community are as follows:

```
pp ..... protein - protein interaction
pd ..... protein -> DNA
(e.g. transcription factor binding upstream of a regulating gene.)
```

Some less common interaction types used are:

```
pr ..... protein -> reaction
rc ..... reaction -> compound
cr ..... compound -> reaction
gl ..... genetic lethal relationship
pm ..... protein-metabolite interaction
mp ..... metabolite-protein interaction
```

## Delimiters

Whitespace (space or tab) is used to delimit the names in the simple interaction file format. However, in some cases spaces are desired in a node name or edge type. The standard is that, if the file contains any tab characters, then tabs are used to delimit the fields and spaces are considered part of the name. If the file contains no tabs, then any spaces are delimiters that separate names (and names cannot contain spaces).

If your network unexpectedly contains no edges and node names that look like edge names, it probably means your file contains a stray tab that's fooling the parser. On the other hand, if your network has nodes whose names are half of a full name, then you probably meant to use tabs to separate node names with spaces.

Networks in simple interactions format are often stored in files with a `.sif` extension, and Cytoscape recognizes this extension when browsing a directory for files of this type.

## NNF

The NNF format is a very simple format that unlike SIF allows the optional assignment of single nested network per node. No other node columns can be specified. There are only 2 possible line formats:

- A node "node" contained in a "network:"

```
network node
```


- 2 nodes linked together contained in a network:

```
network node1 interaction node2
```

If a network name (first entry on a line) appeared previously as a node name (in columns 2 or 4), the network will be nested in the node with the same name. Also, if a name that has been previously defined as a network (by being listed in the first column), later appears as a node name (in columns 2 or 4), the previously defined network will be nested in the node with the same name. In summary: any time a name is used as both, a network name, and a node name, this implies that the network will be nested in the node of the same name. Additionally comments may be included on all lines. Comments start with a hash mark '#' and continue to the end of a line. Trailing comments (after data lines) and entirely blank lines anywhere are also permissible. Please **note** that if you load multiple NNF files in Cytoscape they will be treated like a single, long concatenated NNF file! If you need to embed spaces, tabs or backslashes in a name, you must escape it by preceding it with a backslash, so that, e.g. an embedded backslash becomes two backslashes, an embedded space a backslash followed by a space etc.

## Examples


### Example 1



```
Example_1      C
Example_1      network1
network1       A      pp      B
```

network1	B	pp	A
Example_1	C	pp	B


**Example 2**



Example_2	M1		
Example_2	M2		
M1	A		
M2	B	pp	C
Example_2	A	pp	B
Example_2	M1	im	M2




### Example 3




```

Example_3      M1      im      M2
Example_3      M3      im      M1
Example_3      M2      im      M3
Example_3      C       pp      M3
Example_3      M2      pp      C
M1             A       pp
M2             A       pp      B
M3             B       pp      C
    
```

### Example 4



Example_4	M1		
root	M3		
M1	A	pp	B
M1	B	pp	A
Example_4	C	pp	B
M3	M2		
M2	D		
M3	E	pp	F
M3	D	pp	F
M3	D	pp	E
Example_4	D	pp	C
Example_4	A	pp	M2
Example_4	B	pp	M3
Example_4	M2	pp	B

**Example 5**

```

Example_5      M4
M4             D
M4             M3
M3             M2      pp      C
M2             M1      pp      B
M1             A
M4             C      pp      D

```

**GML Format**

In contrast to SIF, GML is a rich graph format language supported by many other network visualization packages. The GML file format specification is available at:

<http://www.infosun.fmi.uni-passau.de/Graphlet/GML/>

It is generally not necessary to modify the content of a GML file directly. Once a network is built in SIF format and then laid out, the layout is preserved by saving to and loading from GML. Properties specified in a GML file will result in a new style named `Filename.style` when that GML file is loaded.

**XGMML Format**

XGMML is the XML evolution of GML and is based on the GML definition. In addition to network data, XGMML contains node/edge/network column data. The XGMML file format specification is available at:

[http://cgi5.cs.rpi.edu/research/groups/pb/punin/public\\_html/XGMML/](http://cgi5.cs.rpi.edu/research/groups/pb/punin/public_html/XGMML/)

XGMML is now preferred to GML because it offers the flexibility associated with all XML document types. If you're unsure about which to use, choose XGMML.

There is a java system property "cytoscape.xgmml.repair.bare.ampersands" that can be set to "true" if you have experience trouble reading older files.

This should only be used when an XGMML file or session cannot be read due improperly encoded ampersands, as it slows down the reading process, but this is still preferable to attempting to fix such files using manual editing.

## SBML (Systems Biology Markup Language) Format

The Systems Biology Markup Language (SBML) is an XML format to describe biochemical networks. SBML file format specification is available at:

<http://sbml.org/documents/>

## BioPAX (Biological PATHways eXchange) Format

BioPAX is an OWL (Web Ontology Language) document designed to exchange biological pathways data. The complete set of documents for this format is available at:

<http://www.biopax.org/>

## PSI-MI Format

The PSI-MI format is a data exchange format for protein-protein interactions. It is an XML format used to describe PPI and associated data. PSI-MI XML format specification is available at:

<http://psidev.sourceforge.net/mi/xml/doc/user/>

## GraphML

GraphML is a comprehensive and easy-to-use file format for graphs. It is based on XML. The complete set of documents for this format is available at:

<http://graphml.graphdrawing.org/>


## Delimited Text Table and Excel Workbook

Cytoscape has native support for Microsoft Excel files (.xls, .xlsx) and delimited text files. The tables in these files can have network data and edge columns. Users can specify columns containing source nodes, target nodes, interaction types, and edge columns during file import. Some of the other network analysis tools, such as igraph (<http://cneurocv.s.rmk.kfki.hu/igraph/>), has feature to export graph as simple text files. Cytoscape can read these text files and build networks from them. For more detail, please read the Import Free-Format Tables section of the **Creating Networks** section.

## Cytoscape.js JSON

From Cytoscape 3.1.0, Cytoscape supports Cytoscape.js JSON files. You can use this feature to export your network visualizations to web browsers. Cytoscape.js has two ways to represent network data, and

currently both reader and writer support only the array style graph notation. For example, this network in Cytoscape:



will be exported to this JSON:

```

{
  "elements" : {
    "nodes" : [ {
      "data" : {
        "id" : "723",
        "selected" : false,
        "annotation_Taxon" : "Saccharomyces cerevisiae",
        "alias" : [ "RPL31A", "RPL34", "S000002233", "ribosomal protein L31A (L34A)", "S000002233", "ribosomal protein L31A (L34A)" ],
        "shared_name" : "YDL075W",
        "SUID" : 723,
        "degree_layout" : 1,
        "name" : "YDL075W"
      },
      "position" : {
        "x" : 693.0518315633137,
        "y" : -49.47506554921466
      },
      "selected" : false
    }, {
      "data" : {
        "id" : "726",
        "selected" : false,
        "annotation_Taxon" : "Saccharomyces cerevisiae",
        "alias" : [ "RP23", "RPL16B", "S000005013", "ribosomal protein L16B (L21B)", "S000005013", "ribosomal protein L16B (L21B)" ],
        "shared_name" : "YNL069C",
        "SUID" : 726,
        "degree_layout" : 1,
        "name" : "YNL069C"
      }
    }
  ]
}

```


```
    },
    "position" : {
      "x" : 627.3147710164387,
      "y" : -205.99251969655353
    },
    },
    "selected" : false
  }, {
    "data" : {
      "id" : "658",
      "selected" : false,
      "annotation_Taxon" : "Saccharomyces cerevisiae",
      "alias" : [ "RPL11B", "S000003317", "ribosomal protein L11B (L16B) (rp39B)",
      "shared_name" : "YGR085C",
      "SUID" : 658,
      "degree_layout" : 2,
      "name" : "YGR085C"
    },
    },
    "position" : {
      "x" : 804.3092778523762,
      "y" : -245.6235926946004
    },
    },
    "selected" : false
  }, {
    "data" : {
      "id" : "660",
      "selected" : false,
      "annotation_Taxon" : "Saccharomyces cerevisiae",
      "alias" : [ "KAP108", "S000002803", "SXM1" ],
      "shared_name" : "YDR395W",
      "SUID" : 660,
      "degree_layout" : 8,
      "name" : "YDR395W"
    },
    },
    "position" : {
      "x" : 730.8733342488606,
      "y" : -157.50702317555744
    },
    },
    "selected" : false
  }, {
    "data" : {
      "id" : "579",
      "selected" : false,
      "annotation_Taxon" : "Saccharomyces cerevisiae",
      "alias" : [ "RPL11A", "S000006306", "ribosomal protein L11A (L16A) (rp39A)",
      "shared_name" : "YPR102C",
      "SUID" : 579,
      "degree_layout" : 2,
      "name" : "YPR102C"
    },
    },
    "position" : {
      "x" : 841.1395696004231,
      "y" : -130.77909119923908
    },
    },
    "selected" : false
  }
```

```
}, {
  "data" : {
    "id" : "578",
    "selected" : false,
    "annotation_Taxon" : "Saccharomyces cerevisiae",
    "alias" : [ "GRC5", "QSR1", "RPL10", "S000004065", "ribosomal protein L10" ],
    "shared_name" : "YLR075W",
    "SUID" : 578,
    "degree_layout" : 2,
    "name" : "YLR075W"
  },
  "position" : {
    "x" : 910.3755162556965,
    "y" : -217.0562556584676
  },
  "selected" : false
} ],
"edges" : [ {
  "data" : {
    "id" : "659",
    "source" : "658",
    "target" : "578",
    "selected" : false,
    "interaction" : "pp",
    "shared_interaction" : "pp",
    "shared_name" : "YGR085C (pp) YLR075W",
    "SUID" : 659,
    "name" : "YGR085C (pp) YLR075W"
  },
  "selected" : false
}, {
  "data" : {
    "id" : "661",
    "source" : "658",
    "target" : "660",
    "selected" : false,
    "interaction" : "pp",
    "shared_interaction" : "pp",
    "shared_name" : "YGR085C (pp) YDR395W",
    "SUID" : 661,
    "name" : "YGR085C (pp) YDR395W"
  },
  "selected" : false
}, {
  "data" : {
    "id" : "724",
    "source" : "660",
    "target" : "723",
    "selected" : false,
    "interaction" : "pp",
    "shared_interaction" : "pp",
    "shared_name" : "YDR395W (pp) YDL075W",
    "SUID" : 724,
    "name" : "YDR395W (pp) YDL075W"
  }
}
```

```
    },
    "selected" : false
  }, {
    "data" : {
      "id" : "733",
      "source" : "660",
      "target" : "579",
      "selected" : false,
      "interaction" : "pp",
      "shared_interaction" : "pp",
      "shared_name" : "YDR395W (pp) YPR102C",
      "SUID" : 733,
      "name" : "YDR395W (pp) YPR102C"
    },
    "selected" : false
  }, {
    "data" : {
      "id" : "727",
      "source" : "660",
      "target" : "726",
      "selected" : false,
      "interaction" : "pp",
      "shared_interaction" : "pp",
      "shared_name" : "YDR395W (pp) YNL069C",
      "SUID" : 727,
      "name" : "YDR395W (pp) YNL069C"
    },
    "selected" : false
  }, {
    "data" : {
      "id" : "580",
      "source" : "578",
      "target" : "579",
      "selected" : false,
      "interaction" : "pp",
      "shared_interaction" : "pp",
      "shared_name" : "YLR075W (pp) YPR102C",
      "SUID" : 580,
      "name" : "YLR075W (pp) YPR102C"
    },
    "selected" : false
  } ]
}
}
```

And this is a sample visualization in Cytoscape.js:





## Important Note

Export network and table to Cytoscape.js feature in Cytoscape creates a JSON file **WITHOUT** style. This means that you need to export the style in a separate JSON file if you apply style to your network. Please read Style section for more details.

## Node and Edge Column Data

Interaction networks are useful as stand-alone models. However, they are most powerful for answering scientific questions when integrated with additional information. Cytoscape allows the user to add arbitrary node, edge and network information to Cytoscape as node/edge/network data columns. This could include, for example, annotation data on a gene or confidence values in a protein-protein interaction. These column data can then be visualized in a user-defined way by setting up a mapping from columns to network properties (colors, shapes, and so on). The section on **Styles** discusses this in greater detail.

## Import Data Table Files


Cytoscape offers support for importing data from delimited text and MS Excel data tables.

*Sample Data Table 1*

Object Key	Alias	SGD ID
AAC3	YBR085WIANC3	S000000289
AAT2	YLR027CIASP5	S000004017
BIK1	YCL029CIARM5IPAC14	S000000534

The data table file should contain a primary key column and at least one data column. The maximum number of data columns is unlimited. The **Alias** column is an optional feature, as is using the first row of data as column names. Alternatively, you can specify each column name from the **File** → **Import** → **Table** → **File...** user interface.

## Basic Operation



1. Select **File** → **Import** → **Table** → **File...**
2. Select a data file. The file can be either a text or Excel (.xls/.xlsx) file.
3. In the **Target Table Data** section, choose where to import the data to. You can choose an existing network collection, a specific network only, or you can choose to import the data to an **Unassigned Table** (described below).
4. Depending on what you choose in the **Where to import Table Data** drop-down, you will need to select a network collection or specific network. You will also need to select **Importing Type**, that is whether the data is node, edge or network table columns.
5. If the table is not properly delimited in the preview panel, change the delimiter in the **Show Text File Import Options** panel. The default delimiter is tab. This step is not necessary for Excel Workbooks.

6. By default, the first column is designated as the primary key. Change the key column if necessary.
7. Click **OK** to import.

## Unassigned Table

As of Cytoscape 3.1, it is possible to import data tables without assigning them to existing networks, meaning the data doesn't have to correspond to any nodes/edges currently loaded. If a data table is imported as unassigned and a network is later imported that maps to the data in terms of nodes or edges, the data will link automatically. This is useful when loading a large dataset (for example expression data), defining a **Style** for visualizing the data on networks and later loading individual networks to view the data, for example from an online database. This feature allows the data to be automatically linked to any network that is applicable, without having to load the data for each network.

## Legacy Cytoscape Attributes Format

In addition to tabular data, the simple attribute file format used in previous versions of Cytoscape is still supported. Node and edge data files are simply formatted: a node data file begins with the name of the column on the first line (note that it cannot contain spaces). Each following line contains the name of the node, followed by an equals sign and the data value. Numbers and text strings are the most common data types. All values for a given column must have the same type. For example:

```
FunctionalCategory
YAL001C = metabolism
YAR002W = apoptosis
YBL007C = ribosome
```

An edge data file has much the same structure, except that the name of the edge is the source node name, followed by the interaction type in parentheses, followed by the target node name. Directionality counts, so switching the source and target will refer to a different (or perhaps non-existent) edge. The following is an example edge data file:

```
InteractionStrength
YAL001C (pp) YBR043W = 0.82
YMR022W (pd) YDL112C = 0.441
YDL112C (pd) YMR022W = 0.9013
```

Since Cytoscape treats edge data as directional, the second and third edge data values refer to two different edges (source and target are reversed, though the nodes involved are the same).

Each data column is stored in a separate file. Node and edge data files use the same format, and have the suffix ".attrs".

Node and edge data may be loaded via the **File** → **Import** → **Table** menu, just as data table files are.

When expression data is loaded using an expression matrix, it is automatically loaded as node data unless explicitly specified otherwise.

Node and edge data columns are attached to nodes and edges, and so are independent of networks. Data values for a given node or edge will be applied to all copies of that node or edge in all loaded network files, regardless of whether the data file or network file is imported first.

## Detailed file format (Advanced users)

Every data file has one header line that gives the name of the data column, and optionally some additional meta-information about that data column. The format is as follows:

```
columnName (class=JavaClassName)
```

The first field is always the column name: it cannot contain spaces. If present, the class field defines the name of the class of the data values. For example, `java.lang.String` or `String` for Strings, `java.lang.Double` or `Double` for floating point values, `java.lang.Integer` or `Integer` for integer values, etc. If the value is actually a list of values, the class should be the type of the objects in the list. If no class is specified in the header line, Cytoscape will attempt to guess the type from the first value. If the first value contains numbers in a floating point format, Cytoscape will assume `java.lang.Double`; if the first value contains only numbers with no decimal point, Cytoscape will assume `java.lang.Integer`; otherwise Cytoscape will assume `java.lang.String`. Note that the first value can lead Cytoscape astray: for example,

```
floatingPointDataColumn  
firstName = 1  
secondName = 2.5
```

In this case, the first value will make Cytoscape think the values should be integers, when in fact they should be floating point numbers. It's safest to explicitly specify the value type to prevent confusion. A better format would be:

```
floatingPointDataColumn (class=Double)  
firstName = 1  
secondName = 2.5
```

or

```
floatingPointDataColumn  
firstName = 1.0  
secondName = 2.5
```

Every line past the first line identifies the name of an object (a node in a node data file or an edge in a edge data file) along with the String representation of the data value. The delimiter is always an equals sign; whitespace (spaces and/or tabs) before and after the equals sign is ignored. This means that your names and values can contain whitespace, but object names cannot contain an equals sign and no guarantees are made concerning leading or trailing whitespace. Object names must be the Node ID or Edge ID as seen in the left-most column of the Table Panel if the data column is to map to anything. These names must be reproduced exactly, including case, or they will not match.

Edge names are all of the form:

```
sourceName (edgeType) targetName
```

Specifically, that is

```
sourceName space openParen edgeType closeParen space targetName
```

Note that tabs are not allowed in edge names. Tabs can be used to separate the edge name from the "=" delimiter, but not within the edge name itself. Also note that this format is different from the specification of interactions in the SIF file format. To be explicit: a SIF entry for the previous interaction would look like

```
sourceName edgeType targetName
```

or

```
sourceName whitespace edgeType whitespace targetName
```

To specify lists of values, use the following syntax:

```
listDataColumnName (class=java.lang.String)
firstObjectName = (firstValue::secondValue::thirdValue)
secondObjectName = (onlyOneValue)
```

This example shows a data column whose value is defined as a list of text strings. The first object has three strings, and thus three elements in its list, while the second object has a list with only one element. In the case of a list every data value uses list syntax (i.e. parentheses), and each element is of the same class. Again, the class will be inferred if it is not specified in the header line. Lists are not supported by Styles and so can't be mapped to network properties.

## Newline Feature

Sometimes it is desirable to for data values to include linebreaks, such as node labels that extend over two lines. You can accomplish by inserting into the data value. For example:


```
newlineDataColumn
YJL157C = This is a long\nline for a label.
```

## Advanced Options

Is this still relevant?

### Annotation File to Table Mapping

Formerly, Cytoscape only supported mapping between node/edge IDs and the primary keys in data files. With the introduction of Cytoscape 2.4, this limitation has been removed, and now both IDs and data columns with primitive data types (string, boolean, floating point, and integer) can be selected as the Key Attribute using the drop-down list provided. Complex attributes such as lists are not supported.



## Aliases

Cytoscape uses a simple mechanism to manage aliases of objects. Both nodes and edges can have aliases. If an attribute is loaded as an alias, it is treated as a special attribute called "alias". This will be used when mapping attributes. If the primary key and key attribute for an object do not match, Cytoscape will search for a match between aliases and the key attribute. To define an alias column in the attribute table, just click on the checkboxes to the left of the column name while importing.

Alias?	Column (Attribute Name)	Data Type
<input type="checkbox"/>	Column 1	String
<input checked="" type="checkbox"/>	Column 2	String
<input checked="" type="checkbox"/>	Column 3	String
<input type="checkbox"/>	Column 4	Float
<input type="checkbox"/>	Column 5	Float

## Table Panel

name	AverageShortestPathLength	Cluster...	gal4RGexp	gal80Rsig	gal80Rexp	gal4RGsig	gal1R...
YDL19...	13.11693548	0.0	0.333	0.011348	0.449	0.033961	0.139
YDR27...	12.12096774	0.0	0.192	5.727E-4	0.448	0.028044	0.243
YBR043C	1.5	0.0	0.023	0.999999	0.0	0.94178	0.454
YPR145W	9.7983871	0.0	-0.614	0.0011873	-0.232	1.1525E-7	-0.195
YER054C	8.81854839	0.0	0.206	0.0043603	0.247	6.2032E-4	0.057
YBR045C	9.64516129	0.0	1.022	0.016389	0.94	1.2945E-5	0.786
YBL079W	2.0	0.0	-0.032	2.9469E-9	-0.42	0.45723	-0.186
YLR345W	9.11693548	0.0	0.234	0.073789	0.116	7.892E-5	0.108
YIL052C	9.14919355	0.0	-0.451	0.66627	-0.025	3.4652E-7	-0.258
YER05...	9.14919355	0.0					
YNL069C	9.14919355	0.0	-0.284	0.026888	-0.124	5.1994E-5	-0.346
YDL07...	9.14919355	0.0	-0.451	0.38208	0.056	1.5697E-6	-0.218
YFR014C	2.0	0.0	0.304	0.64057	0.047	8.1743E-6	0.229
YGR13...	11.06854839	0.0	-0.163	0.0020376	-0.204	0.0042386	-0.167

When Cytoscape is started, the **Table Panel** appears in the bottom right of the main Cytoscape window. This browser can be hidden and restored using the F5 key or the **View** → **Show/Hide Table Panel** menu option. Like other Panels, the browser can be undocked by pressing the little icon in the top right corner.

To swap between displaying node, edge, and network Data Tables use the tabs on the bottom of the Table Panel. By default, the Table Panel displays columns for all nodes and edges in the selected network. To display columns for only selected nodes/edges, click the **Change Table Mode** button



at the top left. To change the columns that are displayed, click the **Show Column**



button and choose the columns that are to be displayed (select various columns by clicking on them, and then click elsewhere on the screen to close the column list).

Most column values can be edited by double-clicking the cell (only the ID cannot be edited). Newline characters can be inserted into String columns either by pressing **Enter** or by typing "\n". Once finished editing, click outside of the editing cell in the Table Panel or press **Shift-Enter** to save your edits. Pressing **Esc** while editing will undo any changes.

Rows in the panel can be sorted alphabetically by specific column by clicking on a column heading. A new column can be created using the **Create New column**



button, and must be one of four types – integer, string, real number (floating point), or boolean. Columns can be deleted using the **Delete Columns...**




button. **NOTE: Deleting columns removes them from Cytoscape, not just the Table Panel!** To remove columns from the panel without deleting them, simply unselect the column using the **Select Columns**



button.

### Column Batch Editor




The Attribute Browser has an **Attribute Batch Editor**. This enables you to set and modify attribute values for selected nodes or edges of a specified attribute at once. For example, if you want to create a new attribute called Modules and set module names for each group of selected nodes, you can use Set command from this editor.

## Import Data Table from Public Databases

It is also possible to import node data columns from public databases via web services, for example from BioMart.

### Basic Operation


1. Load a network, for example galFiltered.sif.
2. Select **File** → **Import** → **Table** → **Public Databases...**
3. You will first be asked to select from a set of web services. For this example, we will choose **ENSEMBL GENES 73 (SANGER UK)**.



1. In the **Import Data Table from Web Services** dialog, select a **Data Source**. Since galFiltered.sif is a yeast network, select **ENSEMBL GENES - SACCHAROMYCES CEREVISIAE**.
2. For **Key Column in Cytoscape**, select *shared name* for **Column** and *Ensembl Gene ID* for **Data Type**.

The type of identifier selected under **Data Type** must match what is used in the selected **Column** in the network.






1. Select the data columns you want to import.

2. Select **Import**.

When import is complete, you can see the newly imported data columns in the Table Panel.



SUID	selected	shared...	name	PDB ID	PFAM ID	SGD Gene
62	false	YKR026C	YKR026C		PF01008	S000001734
63	false	YGL122C	YGL122C	2V75	PF11517	S000003090
65	false	YGR21...	YGR21...	3M1I	PF08767	S000003450
66	false	YGL09...	YGL09...	3OF7	PF00415	S000003065
68	false	YOR20...	YOR20...		PF00270	S000005730
70	false	YLR249W	YLR249W	2IX8	PF00005	S000004239
71	false	YPR080W	YPR080W	2B7C	PF03144	S000006284
73	false	YBR118W	YBR118W	2B7C	PF03144	S000000322

## Ontology and Annotation Import

Annotations in Cytoscape are stored as a set of ontologies (e.g. the Gene Ontology, or GO). An ontology consists of a set of controlled vocabulary terms that annotate the objects. For example, using the Gene Ontology, the *Saccharomyces Cerevisiae* CDC55 gene has a biological process described as “protein biosynthesis”, to which GO has assigned the number 6412 (a GO ID).

GO 8150 biological\_process

GO 7582 physiological processes


GO 8152 metabolism

GO 44238 primary metabolism

GO 19538 protein metabolism

GO 6412 protein biosynthesis

### Graphical View of GO Term 6412: protein biosynthesis



Cytoscape can use this ontology DAG (Directed Acyclic Graph) to annotate objects in networks. The Ontology Server (originally called "BioDataServer") is a Cytoscape feature which allows you to load, navigate, and assign annotation terms to nodes and edges in a network. Cytoscape 2.4 now has an enhanced GUI for loading ontology and associated annotation, enabling you to load both local and remote files.

## Ontology and Annotation File Format

The standard file formats used in the **Cytoscape Ontology Server** are OBO and Gene Association. The GO website details these file formats:

Ontologies and Definitions: <http://www.geneontology.org/GO.downloads.shtml#ont>

Current Annotations: <http://www.geneontology.org/GO.current.annotations.shtml>

## Default List of Ontologies

Cytoscape provides a list of ontologies available in OBO format. If an Internet connection is available, Cytoscape will import ontology and annotation files directly from the remote source. The table below lists the included ontologies.

Ontology Name	Description
Gene Ontology Full	This data source contains a full-size GO DAG, which contains all GO terms. This OBO file is written in version 1.2 format.
Generic GO slim	A subset of general GO Terms, including higher-level terms only.
Yeast GO slim	A subset of GO Terms for annotating Yeast data sets maintained by SGD.
Molecule role (INOH Protein name/family name ontology)	A structured controlled vocabulary of concrete and abstract (generic) protein names. This ontology is a INOH pathway annotation ontology, one of a set of ontologies intended to be used in pathway data annotation to ease data integration. This ontology is used to annotate protein names, protein family names, and generic/concrete protein names in the INOH pathway data. INOH is part of the BioPAX working group.
Event (INOH pathway ontology)	A structured controlled vocabulary of pathway-centric biological processes. This ontology is a INOH pathway annotation ontology, one of a set of ontologies intended to be used in pathway data annotation to ease data integration. This ontology is used to annotate biological processes, pathways, and sub-pathways in the INOH pathway data. INOH is part of the BioPAX working group.
Protein-protein interaction	A structured controlled vocabulary for the annotation of experiments concerned with protein-protein interactions.
Pathway Ontology	The Pathway Ontology is a controlled vocabulary for pathways that provides standard terms for the annotation of gene products.
PATO	PATO is an ontology of phenotypic qualities, intended for use in a number of applications, primarily phenotype annotation. For more information, please visit the PATO wiki ( <a href="http://www.bioontology.org/wiki/index.php/PATO:Main_Page">http://www.bioontology.org/wiki/index.php/PATO:Main_Page</a> ).
Mouse pathology	The Mouse Pathology Ontology (MPATH) is an ontology for mutant mouse pathology. This is Version 1.
Human disease	This ontology is a comprehensive hierarchical controlled vocabulary for human disease representation. For more information, please visit the Disease Ontology website ( <a href="http://diseaseontology.sourceforge.net/">http://diseaseontology.sourceforge.net/</a> ).

Although Cytoscape can import all kinds of ontologies in OBO format, annotation files are associated with specific ontologies. Therefore, you need to provide the correct ontology-specific annotation file to annotate nodes/edges/networks in Cytoscape. For example, while you can annotate human network data using the

GO Full ontology with human Gene Association files, you cannot use a combination of the human Disease Ontology file and human Gene Association files, because the Gene Association file is only compatible with GO.


## Gene Association File

The **Gene Association** files provide annotation only for the Gene Ontology. It is a species-specific annotation file for GO terms. Gene Association files will only work with Gene Ontology annotation.

Sample Gene Association File (gene\_association.sgd - annotation file for yeast):

SGD	S000003916	AAD10	GO:0006081	SGD_REF:S000042151 PMID:10572264	ISS	P	aryl-alcohol dehydrogenase (putative)	YJR155W gene	taxon:4932
SGD	S000005275	AAD14	GO:0008372	SGD_REF:S000069584	ND	C	aryl-alcohol dehydrogenase (putative)	YNL331C gene	taxon:4932


## Import Ontology and Annotation




Cytoscape provides a graphical user interface to import both ontology and annotation files at the same time.

**Note:** All data sources in the preset list are remote URLs, meaning a network connection is required.

- Select **File** → **Import** → **Ontology and Annotation...** to open the "Import Ontology and Annotation" interface. From the **Annotation** drop-down list, select a gene association file for your network. For example, if you want to annotate the yeast network, select "Gene Association file for *Saccharomyces cerevisiae*".



\* Select an Ontology data (OBO file) from the Ontology drop-down list. If the file is not loaded yet, it will be shown in red. The first three files are Gene Ontology files. You can load other ontologies, but you need your own annotation file to annotate networks.



Once you click the **Import** button, Cytoscape will start loading OBO and Gene Association files from the remote sources. If you choose GO Full it may take a while since it is a large data file.

- When Cytoscape finishes importing files, the import window will be automatically closed. All columns mapped by this function have the prefix "annotation" and look like this: annotation.[column\_name].

**Note:** Cytoscape supports both OBO formats: version 1.0 and 1.2.

## Column Data Functions and Equations

### Column Formulas

#### Introduction

Column data values may be formulas. A typical example is  $=ABS(\$otherColumn + LOG(10.2))$ . Formulas are modeled after Excel™ but only support references to other columns at the same node, edge or network.

Since Cytoscape column names may contain embedded spaces, optional braces around the column name (required if the name is not simply a letter followed by one or more letters or digits) is allowed e.g. **`${a name with spaces}`**. Backslashes, opening braces and dollar signs in column names have to be escaped with a leading backslash. For example the column name **`ex$am{ple}`** would have to be written as **`$(ex$am\{p\le}`**. Finally, column names are case sensitive.

String constants are written with double-quotes ". In order to embed a double-quote or a backslash in a string they have to be escaped with a leading backslash, therefore the string "\ must be written as "\\ ". Formula results must be compatible with the type of the column that they have been assigned to. The rules are rather lax though, for example anything can be interpreted as a string and all numeric values will be accepted for a boolean (or logical) column data where non-zero will be interpreted as **true** and zero as **false**. For integer columns, floating point values will be converted using the rules of the Excel™ **INT** function. Parentheses can be used for grouping and to change evaluation order. The operator precedence rules follow those of standard arithmetic.

## Operators

Currently supported operators are the four basic arithmetic operators and the ^ exponentiation operator. +, -, \*, and \ are left-associative and ^ is right-associative. The string concatenation operator is &. Supported boolean or logical operators are the comparison operators <, >, <=, >=, =, and <> (not equal).

## Supported Functions

Currently we support the following functions:

### ***Cytoscape-specific functions***

- *Degree* -- the degree of a node.
- *InDegree* -- the indegree of a node.
- *OutDegree* -- the outdegree of a node.
- *SourceID* -- the ID of the source node of an edge.
- *TargetID* -- the ID of the target of an edge.

### ***Numeric Functions***

- *Abs* -- Returns the absolute value of a number.
- *ACos* -- Returns the arccosine of a number.
- *ASin* -- Returns the arcsine of a number.
- *ATan2* -- Returns the arctangent of two numbers *x* and *y*.
- *Average* -- Returns the average of a group of numbers.
- *Cos* -- Returns the cosine of an angle given in radians.
- *Cosh* -- Returns the hyperbolic sine of its argument.
- *Count* -- Returns the number of numeric values in a list.

- *Degrees* -- Returns its argument converted from radians to degrees.
- *Exp* -- Returns  $e$  raised to a specified number.
- *Ln* -- Returns the natural logarithm of a number.
- *Log* -- Returns the logarithm of a number to a specified base.
- *Max* -- Returns the maximum of a group of numbers.
- *Median* -- Returns the median of a list of numbers.
- *Min* -- Returns the minimum of a group of numbers.
- *Mod* -- Calculates the modulus of a number.
- *Pi* -- Returns an approximation of the value of  $\pi$
- *Radians* -- Returns its argument converted from degrees to radians.
- *Round* -- Rounds a number to a specified number of decimal places.
- *Sin* -- Returns the sine of an angle given in radians.
- *Sinh* -- Returns the hyperbolic sine of its argument.
- *Sqrt* -- Calculates the square root of a number.
- *Tan* -- returns the tangent of its argument in radians.
- *Tanh* -- returns the hyperbolic tangent of its argument in radians.
- *Trunc* -- Truncates a number.

## **String Functions**

- *Concatenate* -- Concatenates two or more pieces of text.
- *Left* -- Returns a prefix of  $s$  string.
- *Len* -- Returns the length of a string.
- *Lower* -- Converts a string to lowercase.
- *Mid* -- Selects a substring of some text.
- *Right* -- Returns a suffix of a string.
- *Substitute* -- Replaces some text with other text.
- *Text* -- Format a number using the Java `DecimalFormat` class' conventions.
- *Upper* -- Converts a string to uppercase.
- *Value* -- Converts a string to a number.



## Logical/Boolean Functions

- *And* -- Returns the logical conjunction of any number of boolean values.
- *Not* -- Returns the logical negation of a boolean value.
- *Or* -- Returns the logical disjunction of any number of boolean values.

## List Functions

- *First* -- Returns the first entry in a list.
- *Last* -- Returns the last entry in a list.
- *Nth* -- Returns the n-th entry in a list.

## Statistical Functions

- *Largest* -- the kth largest value in a list.
- *GeoMean* -- the geometric mean of a set of numbers.
- *HarMean* -- the harmonic mean of a set of numbers.
- *Mode* -- the mode of a set of numbers.
- *NormDist* -- Returns the pdf or CDF of the normal distribution.
- *Permut* -- Returns the number of permutations for a given number of objects.
- *StDev* - sample standard deviation.
- *Var* -- sample variance.

## Miscellaneous Functions

- *Combin* - Returns the number of combinations for a given number of objects.
- *If* -- Returns one of two alternatives based on a boolean value.
- *ListToString* -- Returns a string representation of a list.
- *Now* -- Returns a string representation of the current date and time.
- *Today* -- returns a string representation of the current date.

## Pitfalls

The possibly biggest problem is the referencing of other columns that have null values. This is not allowed and leads to errors. In order to mitigate this problem we support the following optional syntax for column references: **#{columnName:defaultValue}**. The interpretation is that if **columnName** is null, then the default value will be used, otherwise the value of the referenced value will be used instead. The referenced column must still be a defined column and not an arbitrary name! The other potential problem is when there are circular column reference dependencies. Circular dependencies will be detected at formula evaluation time and lead to a run-time error.


## Useful Tips

When working with formulas it can be very helpful to open the Developer's Log Console. Formula evaluation errors will be logged there.

## The Formula Builder

In order to ease the creation of formulas as well as to facilitate discovery of built-in functions we provide a **Function Builder** in the Table Panel. After selecting a non-list column cell, you can invoke it by clicking  $f(x)$

This should bring up the Formula Builder which looks like this:



The Function Builder is a useful tool for discovery of the list of built-in functions, which has the return type matching the data type of the column. Arguments can either be selected from a list of named columns or constant values can be entered in a text entry field. A major shortcoming at this time is that the Formula Builder won't let you compose functions with function calls as arguments. If you need the most general functionality, please type the expression directly into a cell.

## A Note for App Writers


It is relatively easy to add your own built-in formula functions. A simple function can probably be implemented in 15 to 20 minutes. It can then be registered via the parser and becomes immediately available to the user. It will of course also show up in the drop-down list in the Function Builder.

## Finding and Filtering Nodes and Edges

### Search Bar

You can search for nodes and edges by column value directly through Cytoscape's tool bar. For example, to select nodes or edges with a column value that starts with "STE", type `ste*` in the search bar. The search is case-insensitive. The `*` is a wildcard character that matches zero or more characters, while `"?"`






There are two main types of filters: narrowing filters, which can be combined into a tree; and chainable filters, which can only be combined in a linear chain. These can be found in the **Filter**, and **Chain** tabs of the **Select** panel, respectively.

## Narrowing Filters

Narrowing filters select nodes and edges based on user-specified constraints. For example, you can use these filters to find edges with a weight between 0 and 5.5, or nodes with degree less than 3. A filter can contain an arbitrary number of sub-filters. To add one to your filter, click on the "+" button.

## Interactive Filter Application Mode

Due to the nature of narrowing filters, Cytoscape can apply them to a network efficiently and interactively. Some filters even provide slider controls to quickly explore different thresholds. This is the default behavior on smaller networks. For larger networks, Cytoscape automatically disables this interactivity. You can override this by manually checking the **Apply Automatically** box above the **Apply** button:




Cytoscape comes packaged with the following narrowing filters:

## Column Filter

This filter will match nodes or edges that have particular column values. For numeric columns, sliders are provided to set thresholds in interactive mode. Otherwise, minimum and maximum values can be keyed in.

From string columns, a variety of matching options are provided:



The image shows a user interface for configuring a filter. On the left, there is a close button (an 'x' icon) and a menu icon (three horizontal lines). The main part of the interface consists of a dropdown menu labeled 'Node: name' with 'contains' selected. Below this is a text input field containing the string 'alpha'. To the right of the input field is a checkbox labeled 'Case sensitive', which is currently unchecked.

For example, column values can be checked if they contain or match exactly a particular string. The filter can also match against Java-style regular expressions. A checkbox controls whether the matching is done in a case-sensitive way.

## Degree Filter


The degree filter matches nodes with a degree that falls within the given minimum and maximum values, inclusive. You can choose whether the filter operates on the in-degree, out-degree or overall (in + out) degree.

## Topology Filter


The topology filter matches nodes with a certain number of neighbors which are within a fixed distance away. The thresholds for the neighborhood size and distance can be set independently.

## Grouping and Organizing Filters

By default, nodes and edges need to satisfy the constraints of all your filters. You can change this so that instead, only the constraints of at least one filter needs to be met in order to match a node or edge. This behavior is controlled by the **Match all/any** drop-down box. This appears once your filter has more than one sub-filter. For example, suppose you wanted to match nodes with column *COMMON* containing *ste* or *cdc*, but you only want nodes with degree 5 or more, you'd first construct a filter that looks like this:



This filter will match nodes where **COMMON** contains **ste** **and** **cdc**. To change this to a logical **or** operation, drag either of the column filters by its handle onto the other column filter to create a new group. Now change the group's matching behavior to **Match any**:



You can also reorder filters by dropping them in-between existing filters.

## Chainable Filters

Chainable filters are a more general case of narrowing filters. These filters take nodes and edges, from your selection or a narrowing filter, as input. The nodes and edges in the output of the filter become the input of the next filter in the chain. The output of the last filter becomes the new selection.

Chainable filters can also be reordered by dragging one by the handle and dropping it between existing filters.


Cytoscape currently bundles the following chainable filter:

## Interaction Transformer

This transformer will go through all the input edges and add their source nodes, target nodes, or both, to the output. This is useful for selecting nodes that are connected to edges that match a particular filter.

## Working with Narrowing and Chainable Filters

The name of active filter appears in the drop-down box at the top of **Select** panel. Beside this is the options button which will allow you to rename, remove or export the active filter. It also lets you create a new filter, or import filters.



At the bottom of the **Select** panel, there is an **Apply** button that will re-apply the active filter. On the opposite side of the progress bar is the cancel button, which will let you interrupt a long-running filter.

## The Select Menu

The **Select** → **Nodes** and **Select** → **Edges** menus provide several mechanisms for selecting nodes and edges. Most options are fairly straightforward; however, some need extra explanation.

**Select** → **Nodes** → **From ID List File...** selects nodes based on node identifiers found in a specified file. The file format is simply one node id per line:

```
Node1
Node2
Node3
...
```



# Navigation and Layout

## Basic Network Navigation

Cytoscape uses a Zoomable User Interface for navigating and viewing networks. ZUIs use two mechanisms for navigation: zooming and panning. Zooming increases or decreases the magnification of a view based on how much or how little a user wants to see. Panning allows users to move the focus of a screen to different parts of a view.

### Zoom

Cytoscape provides two mechanisms for zooming: toolbar buttons and the scroll wheel. Use the zooming buttons located on the toolbar to zoom in and out of the interaction network shown in the current network display. Zoom icons are detailed below:



From Left to Right:

- Zoom In
- Zoom Out
- Zoom Out to Display all of Current Network
- Zoom Selected Region

Using the scroll wheel, you can zoom in by scrolling up and zoom out by scrolling downwards. These directions are reversed on Macs with natural scrolling enabled (the default for Mac OS X Lion and newer versions).

### Pan

There are several ways to pan the network:

- Middle Click and Drag - You can pan the network image by holding down the middle mouse button and moving the mouse.
- Command Key + Drag (Mac only) - If you use Mac without middle button, you can pan the view by holding down Command key and then drag.
- Dragging Box on **Network Overview** - You can also pan the image by holding down the left mouse button over the blue box in the overview panel in the lower part of the Network tab in the Control Panel.

## Other Mouse Behaviors

### Select

Click the left mouse button on a node or edge to select that object. You can hold down the Shift key (or Ctrl key on PCs) to select more than one node/edge or you can hold down the left mouse button and drag the mouse to select groups of nodes/edges.

## Context

Click the right mouse button (or Ctrl+left mouse button on Macs) on a node/edge to launch a context-sensitive menu with additional information about the node/edge.

### Node Context Menu

This menu can change based on the current context. For nodes, it typically shows:

- Add
- Edit
- Select
- Group
- Nested Networks
- Apps
- External Links
- Preferences

Edges usually have the following menu:

- Edit
- Select
- Apps
- External Links
- Preferences

Apps can contribute their own items into node and edge context menus. These additions usually appear in the **Apps** section of the context menu.

### Nested Network Node Context Menu

- **Add Nested Network:** Lets the user select any network in Cytoscape as the current node's nested network. If the current node already has a nested network it will be replaced.
- **Remove Nested Network:** Removes the currently associated nested network from a node. The associated network is not deleted. Only the association between the node and the network is removed.
- **Go to Nested Network:** The current node's nested network will be the current network view and have the focus. Should a network view for the nested network not exist, it will be created.


More information about nested networks can be found in the **Nested Networks** section.

## Automatic Layout Algorithms

The Layout menu has an array of features for organizing the network visually according to one of several algorithms, aligning and rotating groups of nodes, and adjusting the size of the network. Cytoscape layouts have three different sources, which are reflected in the **Layout** menu.


With the exception of the **yFiles** layouts (explained below), Cytoscape Layouts have the option to operate on only the selected nodes, and all provide a **Settings...** panel to change the parameters of the algorithm. Most of the Cytoscape layouts also partition the graph before performing the layout. In addition, many of these layouts include the option to take either node or edge columns into account. A few of the layout algorithms are:

### Grid Layout




The grid layout is a simple layout that arranges all of the nodes in a square grid. This is the default layout and is always available as part of the Cytoscape core. It is available by selecting **Layout** → **Grid Layout**. A sample screen shot is shown above.

## Edge-weighted Spring-Embedded Layout




The spring-embedded layout is based on a “force-directed” paradigm as implemented by Kamada and Kawai (1988). Network nodes are treated like physical objects that repel each other, such as electrons. The connections between nodes are treated like metal springs attached to the pair of nodes. These springs repel or attract their end points according to a force function. The layout algorithm sets the positions of the nodes in a way that minimizes the sum of forces in the network. This algorithm can be applied to the entire network or a portion of it by selecting the appropriate options from **Layout** → **Edge-weighted Spring Embedded**.

## Attribute Circle Layout



The **Attribute Circle** layout is a quick, useful layout, particularly for small networks, that will locate all of the nodes in the network around a circle. The node order is determined by a user-selected node column. The result is that all nodes with the same value for that column are located together around the circle. Using **Layout** → **Attribute Circle Layout** → *column* to put all nodes around a circle using *column* to position them. The sample screen shot above shows the a subset of the galFiltered network organized by node degree.

## Group Attributes Layout



The **Group Attributes** layout is similar to the **Attribute Circle** layout described above except that instead of a single circle with all of the nodes, each set of nodes that share the same value for the column are laid out in a separate circle. The same network shown above (network generated by PSICQUIC Client) is shown above, using **Layout** → **Group Attributes Layout** → **taxonomy**.

## Prefuse Force Directed Layout



The force-directed layout is a layout based on the "force-directed" paradigm. This layout is based on the algorithm implemented as part of the prefuse toolkit provided by Jeff Heer. The algorithm is very fast and with the right parameters can provide a very visually pleasing layout. The **Force Directed Layout** will also accept a numeric edge column to use as a weight for the length of the spring, although this will often require more use of the **Settings...** dialog to achieve the best layout. This algorithm is available by selecting **Layout** → **Prefuse Force-Directed Layout** → **(unweighted)** or the edge column you want to use as a


weight. A sample screen shot showing a portion of the galFiltered network provided in sample data is provided above.

## yFiles Layouts

**yFiles** layouts are a set of commercial layout algorithms which are provided courtesy of yWorks. Due to license restrictions, the detailed parameters for these layouts are not available (there are no **yFiles** entries in the **Layout** → **Settings...**). The main layout algorithms provided by yFiles are:




## yFiles Organic Layout



The organic layout algorithm is a kind of spring-embedded algorithm that combines elements of the other algorithms to show the clustered structure of a graph. This algorithm is available by selecting **Layout** → **yFiles Layouts** → **Organic**.

## yFiles Circular Layout



This algorithm produces layouts that emphasize group and tree structures within a network. It partitions the network by analyzing its connectivity structure, and arranges the partitions as separate circles. The circles themselves are arranged in a radial tree layout fashion. This algorithm is available by selecting **Layout** → **yFiles Layouts** → **Circular**.


## yFiles Hierarchical Layout



The hierarchical layout algorithm is good for representing main direction or "flow" within a network. Nodes are placed in hierarchically arranged layers and the ordering of the nodes within each layer is chosen in such a way that minimizes the number of edge crossings. This algorithm is available by selecting **Layout** → **yFiles Layouts** → **Hierarchical**.


## Layout Parameters


Many layouts have adjustable parameters that are exposed through the **Layouts** → **Settings...** menu option. The **Layout Settings** dialog, which allows you to choose which layout algorithm settings to adjust, is shown below. The settings presented vary by algorithm and only those algorithms that allow access to their parameters will appear in the drop-down menu at the top of the dialog. Once you've modified a parameter, clicking the **Execute Layout** button will apply the layout.



## Edge Bend and Automatic Edge Bundling

From Cytoscape 3.0, **Edge Bend** is a regular edge property and can be used as a part of a **Style**. Just like any other edge property, you can select a Default Value, a Mapping and use Bypass for select nodes. In the Styles tab, select the **Bend** property from the **Properties** drop-down and click on either the Default Value, Mapping or Bypass cell to bring up the **Edge Bend Editor**. In the editor, you can add as many handles as you want to the edge using Alt-Click on Windows, Option-Click on Mac, or Ctrl-Alt-Click on Linux.





To clear all edge bends, select **Layout** → **Clear All Edge Bends**.

In addition to adding handles manually, you can use the **Bundle Edges** function to bundle all or selected edges automatically.

Number of handles	<input type="text" value="3"/>
Spring constant	<input type="text" value="0.0030"/>
Compatibility threshold	<input type="text" value="0.3"/>
Maximum iterations	<input type="text" value="10000"/>


1. Select **Layout** → **Bundle Edges** → **All Nodes and Edges**.
2. Set parameters.
  - Details of the algorithm is described in this paper.
3. Press OK to run. Edge bundling may take a long time if the number of edges is large.
  - If it takes too long, try decreasing **Maximum Iterations**.
  - For large, dense networks, try setting **Maximum iterations** in the range of 500 - 1000.

Note: The handle locations will be optimized for current location of nodes. If you move node positions, you need to run the function again to get proper result.

## Manual Layout


The simplest method to manually organize a network is to click on a node and drag it. If you select multiple nodes, all of the selected nodes will be moved together.

## Rotate




Selecting the **Layout** → **Rotate** option will show the **Rotate** window in the **Tool Panel**. This function will either rotate the entire network or a selected portion of the network. The image below shows a network with selected nodes rotated.

Before




After






## Scale




Selecting the **Layout** → **Scale** option will open the **Scale** window in the **Tool Panel**. This function will scale the position of the entire network or of the selected portion of the network. Note that only the position

of the nodes will be scaled, not the node sizes. Node size can be adjusted using **Styles**. The image below shows selected nodes scaled.


Before



After



## Align, Distribute and Stack



Selecting the **Layout** → **Align/Distribute** option will open the **Align and Distribute** window in the **Tool Panel**. **Align** provides different options for either vertically or horizontally aligning selected nodes against a line. The differences are in what part of the node gets aligned, e.g. the center of the node, the top of the node, the left side of the node. **Distribute** evenly distributes selected nodes between the two most distant nodes along either the vertical or horizontal axis. The differences are again a function what part of the node is used as a reference point for the distribution. **Stack** vertically or horizontally stacks selected nodes with the full complement of alignment options. The table below provides a description of what each button does.

Button	Before	After	Description of Align Options
			Vertical Align Top - The tops of the selected nodes are aligned with the top-most node.
			Vertical Align Center - The centers of the selected nodes are aligned along a line defined by the midpoint between the top and bottom-most nodes.
			Vertical Align Bottom - The bottoms of the selected nodes are aligned with the bottom-most node.
			Horizontal Align Left - The left hand sides of the selected nodes are aligned with the left-most node.
			Horizontal Align Center - The centers of the selected nodes are aligned along a line defined by the midpoint between the left and right-most nodes.
			Horizontal Align Right - The right hand sides of the selected nodes are aligned with the right-most node.

Button	Before	After	Description of Distribute Options

			Vertical Distribute Top - The tops of the selected nodes are distributed evenly between the top-most and bottom-most nodes, which should stay stationary.
			Vertical Distribute Center - The centers of the selected nodes are distributed evenly between the top-most and bottom-most nodes, which should stay stationary.
			Vertical Distribute Bottom - The bottoms of the selected nodes are distributed evenly between the top-most and bottom-most nodes, which should stay stationary.
			Horizontal Distribute Left - The left hand sides of the selected nodes are distributed evenly between the left-most and right-most nodes, which should stay stationary.
			Horizontal Distribute Center - The centers of the selected nodes are distributed evenly between the left-most and right-most nodes, which should stay stationary.
			Horizontal Distribute Right - The right hand sides of the selected nodes are distributed evenly between the left-most and right-most nodes, which should stay stationary.

Button	Before	After	Description of Stack Options
			Vertical Stack Left - Vertically stacked below top-most node with the left-hand sides of the selected nodes aligned.
			Vertical Stack Center - Vertically stacked below top-most node with the centers of selected nodes aligned.
			Vertical Stack Right - Vertically stacked below top-most node with the right-hand sides of the selected nodes aligned.
			Horizontal Stack Top - Horizontally stacked to the right of the left-most node with the tops of the selected nodes aligned.
			Horizontal Stack Center - Horizontally stacked to the right of the left-most node with the centers of selected nodes aligned.
			Horizontal Stack Bottom - Horizontally stacked to the right of the left-most node with the bottoms of the selected nodes aligned.

## Node Movement and Placement


In addition to the ability to click on a node and drag it to a new position, Cytoscape now has the ability to move nodes using the arrow keys on the keyboard. By selecting one or more nodes using the mouse and clicking one of the arrow keys (←, →, ↑, ↓) the selected nodes will move one pixel in the chosen direction. If an arrow key is pressed while holding the Shift key down, the selected nodes will move 15 pixels in the chosen direction.

## Styles


### What are Styles?

One of Cytoscape's strengths in network visualization is the ability to allow users to encode any table data (name, type, degree, weight, expression data, etc.) as a property (such as color, size of node, transparency, or font type) of the network. A set of these encoded or mapped table data sets is called a **Style** and can be created or edited in the **Style** panel of the **Control Panel**. In this interface, the appearance of your network is easily customized. For example, you can:

**Specify a default color and shape for all nodes.**




**Set node sizes based on the degree of connectivity of the nodes. You can visually see the hub of a network...**




**...or, set the font size of the node labels instead.**




**Visualize gene expression data along a color gradient.**



**Encode specific physical entities as different node shapes.**




**Use specific line types to indicate different types of interactions.**



**Control edge transparency (opacity) using edge weights.**



**Control multiple edge properties using edge score.**




**Browse extremely-dense networks by controlling the opacity of nodes.**






**Show highly-connected region by edge bundling and opacity.**







**Add photo/image/graphics on top of nodes.**






Cytoscape 3 has several sample styles. Below are a few examples of these applied to the *galFiltered.sif* network :





## Introduction to the Style interface

The **Style** interface is located under the **Style** panel of the **Control Panel**.



This interface allows you to create/delete/view/switch between different styles using the Current Style options. The panel displays the mapping details for a given style and is used to edit these details as well.

- At the top of the interface, there is a drop-down menu for selecting a pre-defined style. There is also an **Options** drop-down with options to rename, remove, create and copy a Style, and an option to create a legend for the selected Style.
- The main area of the interface is composed of three tabs, for Node, Edge and Network.
- Each tab contains a list of properties relevant to the current style. At the top of the list a **Properties** drop-down allows you to add additional properties to the list.
- Each property entry in the list has 3 columns:
  - The **Default Value** shows just that, the default value for the property. Clicking on the **Default Value** column for any property allows you to change the default value.
  - **Mapping** displays the type of mapping currently in use for the property. Clicking on the **Mapping** column for any property expands the property entry to show the interface for editing the mapping. Details on the mapping types provided here.
  - **Bypass** displays any style bypass for a selected node or edge. Note that a node/edge or subset of nodes/edges must be selected to activate the **Bypass** column. Clicking on the **Bypass** column for selected node(s)/edge(s) allows you to enter a bypass for that property for selected node(s)/edge(s).


The **Default Value** is used when no mapping is defined for a property, or for nodes/edges not covered by a mapping for a particular property. If a **Mapping** is defined for a property, this defines the style for all or a subset of nodes/edges, depending on how the mapping is defined. A **Bypass** on a specific set of nodes/edges will bypass and override both the default value and defined mapping.

## Introduction to Style

The Cytoscape distribution includes several predefined styles to get you started. To examine a few styles, try out the following example:

### Step 1. Load some sample data


- Load a sample session file: From the main menu, select **File** → **Open**, and select the file *sampleData/galFiltered.cys*.
- The session file includes a network, some annotations, and sample styles. By default, the **Sample for galFiltered** style is selected. Gene expression values for each node are colored along a color gradient between red and green (where red represents a low expression ratio and green represents a high expression ratio, using thresholds set for the gal4RGexp experiment bundled with Cytoscape in the *sampleData/galExpData.csv* file). Also, node size is mapped to the degree of the node (number of edges connected to the node) and you can see the hubs of the network as larger nodes. See the sample screenshot below:




## Step 2. Switch between different styles

You can change the style by making a selection from the **Current Style** drop-down list, found at the top of the **Style** panel.

For example, if you select **Sample1**, a new style will be applied to your network, and you will see a white background and round blue nodes. If you zoom in closer, you can see that protein-DNA interactions (specified with the label "pd") are drawn with dashed edges, whereas protein-protein interactions (specified with the label "pp") are drawn with solid edges (see sample screenshot below).



Finally, if you select **Solid**, you can see the graphics below:



This style does not have mappings except node/edge labels, but you can modify the network graphics by editing the *Default Value* for any property.

Additional sample styles are available in the `sampleStyles.xml` file in the `sampleData` directory. You can import the sample file from **File** → **Import** → **Style File...**

## List of Node, Edge and Network Properties

Cytoscape allows a wide variety of properties to be controlled. These are summarized in the tables below.

<b>Node Properties</b>	<b>Description</b>
<i>Shape</i>	The shape of the node.
<i>Fill Color</i>	The color of the node.
<i>Selected Paint</i>	The color of the node when selected.
<i>Transparency</i>	The opacity of the color of the node. Zero means totally transparent, and 255 is most opaque.
<i>Border Paint</i>	The color of the border of the node.
<i>Border Transparency</i>	The opacity of the color of the border of the node. Allows for transparency.
<i>Border Line Type</i>	The type of line used for the border of the node.
<i>Border Width</i>	The width of the node border.
<i>Custom Graphics 1-9</i>	A user-defined custom graphic that is displayed on the node.
<i>Custom Graphics Position 1-9</i>	The position of each custom graphic.
<i>Label Font Face</i>	The font used for the node label.
<i>Label Font Size</i>	The size of the font used for the node label.
<i>Label</i>	The text used for the node label.
<i>Label Color</i>	The color of the node label.
<i>Label Transparency</i>	The transparency of the color of the node label. Allows for transparency.
<i>Label Position</i>	The position of the node label relative to the node.
<i>Label Width</i>	The maximum width of the node label. If the node label is wider than the specified width, Cytoscape will automatically wrap the label on space characters. Cytoscape will not hyphenate words, meaning that if a single word (i.e. no spaces) is longer than maximum width, the word will be displayed beyond the maximum width.
<i>Tooltip</i>	The text of the tooltip that appears when a mouse hovers over the node.
<i>Size</i>	The size of the node. Width and height will be equal. This property is mutually exclusive of <i>Node Height</i> and <i>Node Width</i> .
<i>Height</i>	The height of the node. Height will be independent of width. This property is mutually exclusive of <i>Node Size</i> .
<i>Width</i>	The width of the node. Width will be independent of height. This property is mutually exclusive of <i>Node Size</i> .
<i>X Location</i>	X location of the node. Default value of this will be ignored. The value will be used only when mapping function is defined.
<i>Y Location</i>	Y location of the node. Default value of this will be ignored. The value will be used only when mapping function is defined.
<i>Visible</i>	Node is visible or not. By default, this value is set to <i>true</i> .



<i>Nested Network Image Visible</i>	A boolean value that indicates whether a nested network should be visualized (assuming a nested network is present for the specified node).
-------------------------------------	---

<b>Edge Properties</b>	<b>Description</b>
<i>Stroke Color (Unselected)</i>	The color of the edge.
<i>Stroke Color (Selected)</i>	The color of the edge when selected.
<i>Transparency</i>	The opacity of the color of the edge. Allows for transparency.
<i>Line Type</i>	The type of stroke used to render the line (solid, dashed, etc.)
<i>Width</i>	The width of the line.
<i>Label</i>	The text used for the edge label.
<i>Label Color</i>	The color of the edge label.
<i>Label Transparency</i>	The opacity of the color of the edge label. Allows for transparency.
<i>Label Font Face</i>	The font used for the edge label.
<i>Label Font Size</i>	The size of the font used for the edge label.
<i>Tooltip</i>	The text of the tooltip that appears when a mouse hovers over the edge.
<i>Source Arrow Unselected Paint</i>	The color of the arrow on the source node end of the edge.
<i>Source Arrow Selected Paint</i>	The selected color of the arrow on the source node end of the edge.
<i>Source Arrow Shape</i>	The shape of the arrow on the source node end of the edge.
<i>Target Arrow Unselected Paint</i>	The color of the arrow on the target node end of the edge.
<i>Target Arrow Selected Paint</i>	The selected color of the arrow on the target node end of the edge.
<i>Target Arrow Shape</i>	The shape of the arrow on the target node end of the edge.
<i>Bend</i>	The edge bend. Defines how the edge is rendered. Users can add multiple handles to define how to bend the edge line.
<i>Curved</i>	If <i>Edge Bend</i> is defined, edges will be rendered as straight or curved lines. If this value is set to <i>true</i> , edges will be drawn as curved lines.
<i>Visible</i>	Edge is visible or not. By default, this value is set to <i>true</i> .

<b>Network Properties</b>	<b>Description</b>
<i>Background Paint</i>	The background color of the network view.
<i>Title</i>	The title of the network view.
<i>Height</i>	The height of the network view.
<i>Width</i>	The width of the network view.
<i>Scale Factor</i>	The zoom level of the network view.
<i>Center X Location</i>	The X location of network view center.
<i>Center Y Location</i>	The Y location of network view center.
<i>Edge Selection</i>	Edges are selectable or not. If this is <i>false</i> , users cannot select edges.
<i>Node Selection</i>	Nodes are selectable or not. If this is <i>false</i> , users cannot select nodes.

## Available Shapes and Line Styles

<b>Available Shapes and Line Styles</b>	<b>Sample</b>
<i>Node Shapes</i>	

<i>Edge Line Types</i>	
<i>Arrow Shapes</i>	

## How Mappings Work

For each property, you can specify a default value or define a dynamic mapping. Cytoscape currently supports three different types of mappings:

### 1. Passthrough Mapping

- The values of network column data are passed directly through to properties. A passthrough mapping is typically used to specify node/edge labels. For example, a passthrough mapping can label all nodes with their common gene names.

### 2. Discrete Mapping

- Discrete column data are mapped to discrete properties. For example, a discrete mapping can map different types of molecules to different node shapes, such as rectangles for gene products and ellipses for metabolites.

### 3. Continuous Mapping

- Continuous data are mapped to properties. Depending on the property, there are three kinds of continuous mapping:
  - Continuous-to-Continuous Mapping:** for example, you can map a continuous numerical value to node size.
  - Color Gradient Mapping:** This is a special case of continuous-to-continuous mapping. Continuous numerical values are mapped to a color gradient.
  - Continuous-to-Discrete Mapping:** for example, all values below 0 are mapped to square nodes, and all values above 0 are mapped to circular nodes.
- However, note that there is no way to smoothly morph between circular nodes and square nodes.

The table below shows mapping support for each property.

#### Legend

Symbol	Description
-	Mapping is not supported for the specified property.
+	Mapping is fully supported for the specified property.
o	Mapping is partially supported for the specified property. Support for “continuous to continuous” mapping is not supported.

#### Node Mappings

Node Property		Passthrough Mapping	Discrete Mapping	Continuous Mapping
Color	<i>Fill Color</i>	o	+	+
	<i>Transparency</i>	o	+	+

	<i>Border Paint</i>	o	+	+
	<i>Border Transparency</i>	o	+	+
	<i>Label Color</i>	o	+	+
	<i>Label Transparency</i>	o	+	+
Numeric	<i>Size/Width/Height</i>	o	+	+
	<i>Label Font Size</i>	o	+	+
	<i>Border Width</i>	o	+	+
	<i>Label Width</i>	o	+	+
Other	<i>Border Line Type</i>	o	+	o
	<i>Shape</i>	o	+	o
	<i>Label</i>	+	+	o
	<i>Tooltip</i>	+	+	o
	<i>Label Font Face</i>	o	+	o
	<i>Label Position</i>	o	+	o
	<i>Nested Network Image Visible</i>	o	+	o

### Edge Mappings

Edge Properties		Passthrough Mapping	Discrete Mapping	Continuous Mapping
Color	<i>Color</i>	o	+	+
	<i>Transparency</i>	o	+	+
	<i>Target Arrow Color</i>	o	+	+
	<i>Source Arrow Color</i>	o	+	+
	<i>Label Color</i>	o	+	+
	<i>Label Transparency</i>	-	+	+
Numeric	<i>Width</i>	-	+	+
	<i>Label Font Size</i>	-	+	+
	<i>Label Width</i>	-	+	+
Other	<i>Line Type</i>	o	+	o
	<i>Source Arrow Shape</i>	o	+	o
	<i>Target Arrow Shape</i>	o	+	o
	<i>Label</i>	+	+	o
	<i>Tooltip</i>	+	+	o
	<i>Label Font Face</i>	-	+	o

### Text Passthrough Mapping



In Cytoscape 2.8.0 and later versions, the Passthrough Mapping can recognize some text representations of values. This means, if you have a string column named *Node Size Values*, you can directly map those values as the Node Size by setting **Node Size Values** as controlling column with **Node Size Passthrough** mapping. The following value types are supported:

- Color: Standard color names supported by all browsers or RGB representation in hex

- Numerical Values: Automatically mapped to the specified property.
- Custom Graphics: URL String. If the URL is valid and an actual image data exists there, Cytoscape automatically downloads the image and maps it to the node.

## Examples


### 1. Color Passthrough Mapping





### 2. Node Size Passthrough Mapping

Add Visual Properties ▾

Def.	Map.	Byg.
		Border Paint
0.5		Border Width
	Pm	Fill Color
		Height
	Pm	Label
		Label Color
14		Label Font Size
		Shape
70.0	Pm	Size
Column		node size
Mapping Type		Passthrough Mapping
Remove Visual Mapping		
255		Transparency
		Width
<input checked="" type="checkbox"/>		Lock node width and height



### 3. Custom Graphics Passthrough Mapping




## Custom Graphics

For Cytoscape 2.8.0 and later versions, Cytoscape supports **Custom Graphics** for nodes. Using the Style interface, you can map Custom Graphics to nodes like any other property. Cytoscape has a set of graphics and you can also add your own graphics in the **Custom Graphics Manager**, as well as remove or modify existing graphics.


Taxonomy Icon set used in this section is created by Database Center for Life Science (DBCLS) and is distributed under Creative Commons License (CC BY 2.1.)

## Managing Images with the Custom Graphics Manager

The **Custom Graphics Manager** is available under **View** → **Open Custom Graphics Manager**:



- You can add images by drag-and-drop of image files and URLs. If you want to add images from a web browser or local file system, you can drag images from them and drop those images onto the list of images on the left.






If you want to add all images in a folder, press the **+** button on the bottom of the Custom Graphics Manager window.

**Note:** When you drag and drop images from web browser, make sure that you are actually dragging the URL for the image. In some cases, images are linked to an HTML page or scripts, and in such cases, this drag and drop feature may not work.


- To remove images from the current session's **Custom Graphics** library, simply select graphics from the list and press the **-** button.
- Images can be resized by defining specific **Width** and **Height** information. If the *Aspect Ratio* box is checked, the width-height ratio is always synchronized. You can resize the image to the original size by pressing **Original** button.

## Using Custom Graphics in Styles



**Custom Graphics** is used and defined like any other property, through the **Style** interface. There are nine **Custom Graphics** properties (**Node Custom Paint 1 - 9**). To select a custom graphic, first add the Custom Graphics property to the **Properties** list in the **Style** interface. Next, click the **Default Value** column of the Custom Graphics property to bring up the Custom Graphics Selector. Select a graphic and click **Apply**. To remove a graphic mapping, click the **Remove Mapping** icon  the Custom Graphics property in the properties list.





By default, custom graphics objects are automatically resized to be consistent with the Node Size Property.

## Custom Graphics Positions

Each custom graphics property is associated with a position. You can edit their positions by using the UI available in the **Default Value** column for any **Custom Graphics Position** property.

## Z-Ordering

The number that appears with the custom graphics property represents an ordering of layers. Basic node color and shape are always rendered first, then node custom graphics 1, 2, ..., through 9.

## Saving and Loading Custom Graphics

In general, saving and loading Custom Graphics is automatic. When you quit Cytoscape, all of the Custom Graphics in the manager will be saved automatically. There are two types of saving:

1. To session file

When you save the current session to a file, the Custom Graphics **used in Style** will be saved to that file. For example, if you have a style with a discrete mapping for *Custom Graphics*, all custom graphics used in the style will be saved to the session file. Other graphics will **not** be saved in your session file. This is because your image library can be huge when you add thousands of images to the Custom Graphics Manager and it takes very long time to save and load the session file.

2. Automatic saving to CytoscapeConfiguration/images3 directory

When you select **File** → **Quit**, all of Custom Graphics in the Manager will be saved automatically to your Cytoscape setting directory. Usually, it's `YOUR_HOME_DIRECTORY/CytoscapeConfiguration/images3`.

In any case, Custom Graphics will be saved automatically to your system or session and will be restored when you restart Cytoscape or load a session.

## Styles Tutorials

The following tutorials demonstrate some of the basic **Style** features. Each tutorial is independent of the others.


### Tutorial 1: Create a Basic Style and Set Default Values

The goal of this tutorial is to learn how to create a new Style and set some default values.

**Step 1. Load a sample network.** From the main menu, select **File** → **Import** → **Network** → **File...**, and select `sampleData/galFiltered.sif`.

**Step 2. Create some node/edge statistics by Network Analyzer.** Network Analyzer calculates some basic statistics for nodes and edges. From the main menu, select **Tools** → **Network Analyzer** → **Network Analysis** → **Analyze Network**, and click **OK**. Once the result is displayed, simply close the window. All statistics are stored as a regular table data.


**Step 3.** Select the Style panel in the Control Panel.



**Step 4. Create a new style. Click the Options**




drop-down, and select **Create New Style**. Enter a name for your new style when prompted.



Since no mappings are set up yet, only default values are defined for some of the properties. From this panel, you can create node/edge mappings for all properties.

**Step 5. Change the default node color and shape.** To set the default node shape to triangles, click the **Default Value** column for **Node Shape**. A list of available node shapes will be shown. Select the **Round Rectangle** icon and click the **Apply** button. You can edit other default values in the same way. In the example shown below, the node shape is set to **Round Rectangle**, while the **Node Fill Color** is set to white. The new Style is automatically applied to the current network, as shown below.




## Tutorial 2: Creating a New Style with a Discrete Mapping

Now you have a network with new Style. The following section demonstrates how to create a new style using a discrete mapping. The goal is to draw protein-DNA interactions as dashed lines, and protein-protein interactions as solid lines.


**Step 1. Choose a property.** In the Edge tab of the Style panel, find the **Stroke Color (Unselected)** property.

**Step 2. Choose a data column to map to.** Expand the entry for **Stroke Color (Unselected)** by clicking the arrow icon to the right. Click the **Column** entry and select "interaction" from the drop-down list that appears.

**Step 3. Choose a mapping type.** Under **Mapping Type**, select **Discrete Mapping**. All available column values for "interaction" will be displayed, as shown below.




**Step 4. Set the mapping relationship.** Click the empty cell next to "pd" (protein-DNA interactions). On the right side of the cell, click on the ... button that appears. A popup window will appear; select green or similar, and the change will immediately appear on the network window.



Repeat step 4 for "pp" (protein-protein interactions), but select a darker color as edge stroke color. Then repeat steps 3 through 4 for the *Edge Line Type* property, by selecting the correct line style ("Dash" or "Solid") from the list.

Now your network should show "pd" interactions as dashed green lines and "pp" interactions as solid lines. A sample screenshot is provided below.




### Tutorial 3: Creating a New Style with a Continuous Mapping

At this point, you have a network with some edge mappings. Next, let's create mappings for nodes. The following section demonstrates how to create a new style using a continuous mapping. The goal is to superimpose node statistics (in this example, node degree) onto a network and display it along a color gradient.


**Step 1. Choose a property.** In the Node tab of the Style panel, find the **Fill Color** property.

**Step 2. Choose a node table column.** Expand the entry for **Fill Color** by clicking the arrow icon to the right. Click the **Column** entry and select "Degree" from the drop-down list that appears.


**Step 3. Choose a mapping type.** Set the "Continuous Mapping" option as the *Mapping Type*. This automatically creates a default mapping.




**Step 4. Define the points where colors will change.** Double-click on the black-and-white gradient rectangle next to Current Mapping to open the Color Gradient Mapping. Note the two smaller triangles at the top of the gradient. Move the left-side one all the way to the left, and the right-side one all the way to the right.



**Step 5. Define the colors between points.** Double-click on the larger leftmost triangle (facing left) and a color palette will appear. Set the color white and repeat for the smaller left-side triangle. For the triangle at the right, set its color to green and then choose the same green color for the smaller right-side triangle.




The color gradients will immediately appear on the network. All nodes with degree 1 will be set to white, and all values between 1 and 18 will be painted with a white/green color gradient. A sample screenshot is below.



**Step 6. Repeat for other properties.** You can create some more mappings for other numeric table data. For example, edge data table column "EdgeBetweenness" is a number, so you can use it for continuous mapping. The following is an example visualization by mapping *Edge Width* to "EdgeBetweenness".






## Tutorial 4: How to Use Utilities for Discrete Mapping


The following tutorial demonstrates utilities for editing discrete mappings. The goal of this section is learning how to set and adjust values for discrete mappings automatically.

1. Switch the Current Style to **Minimal**. Now your network looks like the following:



☒ Create a discrete Node Color mapping. Select "AverageShortestPathLength" (generated by Network Analyzer) as the controlling property.


☒ Click the **Fill Color** cell, then right-click it and select **Mapping Value Generators** → **Rainbow**. Cytoscape will automatically generate different colors for different property values as shown below:



☒ Create a discrete Node Label Font Size mapping. Select "AverageShortestPathLength" as controlling property.

☒ Click the **Node Label Font Size** cell, then right-click it and select **Mapping Value Generators** → **Number Series**. Type **3** for the first value and click OK. Enter **3** for increment.

☒ Apply **Layout** → **yFiles Layouts** → **Organic**. The final view is shown below:



This mapping generator utility is useful for categorical data. The following example is created by adding node color discrete mapping from species column to color.

Column	Degree
Mapping Type	Discrete Mapping
1	R:255 G:128 B:0 - #...
2	R:255 G:255 B:0 - #...
3	R:128 G:255 B:0 - #...
4	R:0 G:255 B:0 - #00...
5	R:0 G:255 B:128 - #...
6	R:0 G:255 B:255 - #...
7	R:0 G:128 B:255 - #...
8	R:0 G:0 B:255 - #00...
9	R:127 G:0 B:255 - #...
11	R:255 G:0 B:255 - #...
17	R:255 G:0 B:128 - #...
18	R:255 G:0 B:0 - #FF0...


## Tutorial 5: Using Custom Graphics in Styles

This tutorial is a quick introduction to Custom Graphics feature. You can assign up to nine images per node as a part of a Style.


1. In this first example, we will use the presets that Cytoscape 3 has. In general, you can use any type of bitmap graphics. Custom images should be added to the **Custom Graphics Manager** before using them in a Style.




18




1. Create a continuous mapping for **Node Custom Graphics 2**. Select "BetweennessCentrality" as controlling property. In the **Continuous Mapping Editor**, add a handle position by clicking in the **Add** button, and move the handle to  $0.2$ . Double-click the region over  $0.2$  and set the new icon you have just added in the last step.



1. Press **Apply**. Under **Properties**, add **Custom Graphics Position 2** from **Paint** → **Custom Paint 2** → **Custom Graphics Position 2**. Change the **Default Value** and move the position of the graphics to upper left.



1. Press **Apply**. Now the important nodes in the network (nodes with high betweenness centrality) are annotated with the icon.



## Advanced Topics

### Discrete Mappings

Several utility functions are available for Discrete Mappings. You can use those functions by right-clicking on any property (shown below.)




### Automatic Value Generators

- **Mapping Value Generators** - Functions in this menu category are value generators for discrete mappings. Users can set values for discrete mappings automatically by these functions.
- **Rainbow** and **Rainbow OSC** - These functions try to assign as diverse a set of colors as possible for each data value.




Column	Degree
Mapping Type	Discrete Mapping
1	R:255 G:128 B:0 - #...
2	R:255 G:255 B:0 - #...
3	R:128 G:255 B:0 - #...
4	R:0 G:255 B:0 - #00...
5	R:0 G:255 B:128 - #...
6	R:0 G:255 B:255 - #...
7	R:0 G:128 B:255 - #...
8	R:0 G:0 B:255 - #00...
9	R:127 G:0 B:255 - #...
11	R:255 G:0 B:255 - #...
17	R:255 G:0 B:128 - #...
18	R:255 G:0 B:0 - #FF0...

- **Random Numbers** and **Random Colors** - Randomized numbers and colors.
- **Number Series** - Set a series of numbers to the specified mapping. Requires a starting number and increment.



- **Fit label width** - This function is only for node width and height. When the node size is **unlocked** AND **Node Width/Height** discrete mappings are available, you can fit the size of each node to its label automatically by selecting this function. See the example below:



## Edit Selected Values at Once

You can set multiple values at once. First, you need to select rows in which you want to change values then right-click and select **Edit** → **Edit Selected Discrete Mapping Values**. A dialog pops up and you can enter the new value for the selected rows.

## Property Dependencies

A Property Dependency can be established between different properties. Currently there are two dependencies: **Lock node width and height** (available in the **Node** tab) and **Edge color to arrows** (available in the **Edge** tab).

- **Lock Node with and height** - If this menu item is checked, **Node Width** and **Node Height** mappings are ignored and **Node Size** overrides them. If you want to use the **Fit label width** function, you need to unlock this.
- **Edge color to arrows** - If this menu item is checked then **Source Arrow Color** and **Target Arrow Color** for edges are overridden and **Edge Color** is used in both cases.

## Working with Continuous Mapping Editors

There are three kinds of **Continuous Mapping Editors**. Each of them are associated with a specific properties:

Editor Type	Supported Data Type	Properties
<b>Color Gradient Editor</b>	Color	node/edge/border/label colors
<b>Continuous-Continuous Editor</b>	Numbers	size/width/opacity
<b>Continuous-Discrete Editor</b>	All others	font/shape/text


## Range Setting Panel



Each editor has a common section named **Range Setting**.

1. **Handle Value Box** - This box displays the current value for the selected slider handle. You can also directly type the value in this box to move the slider to an exact location.
2. **Min/Max Button** - Set the overall range of this editor. The first time you open the editor, the *Min* and *Max* values are set by the range of the data column you selected, i.e., minimum and maximum value of the column will be set to the range of this editor. You can change this range anytime you want by pressing this button.
3. **Add Handle Button** - Add a new handle to the editor.
4. **Delete Handle Button** - Delete the selected handle from the slider widget.
5. **Handle Value Editor Button** - Edit value assigned to the selected handle.


## Gradient Editor



The Gradient Editor is an editor for creating continuous mappings for colors. To change the color of each region, just double-click the handles (small triangles on the top). A Color gradient will be created only when the editor has two or more handles (see the example below).


1 handle (no gradient)	2 handles

## Continuous-Continuous Editor



The Continuous-Continuous Editor is for creating mappings between numerical data and numerical properties (size/opacity). To change the value assigned on the Y-axis (the property shown in the example above is node size), drag the red squares or double-click on the squares to directly type an exact value.

## Continuous-Discrete Editor



The Continuous-Discrete Editor is used to create mappings from numerical column values to discrete properties, such as font, shape, or line style. To edit a value for a specific region, double click on the icon on the track.

## Managing Styles

All Cytoscape Style settings are initially loaded from a default file that cannot be altered by users. When users make changes to the properties, a `session_style.xml` file is saved in the session file. This means that if you save your session, you will not lose your properties. No other style files are saved during normal operation.

## Saving Styles

Styles are automatically saved with the session they were created in. Before Cytoscape exits, you will be prompted to make sure you save the session before quitting. It is also possible to save your styles in a file separate from the session file. To do this, navigate to the **File** → **Export** → **Style...** menu option and save the properties as a file. This feature can be used to share styles with other users.

## Style File Formats

The Cytoscape-native Style format is Style XML. If you want to share Style files with other Cytoscape users, you need to export them to this format.

From version 3.1.0, Cytoscape can export Cytoscape.js compatible JSON file. Since Cytoscape.js is an independent JavaScript library, and there are some differences between Cytoscape and Cytoscape.js, not all properties are mapped to JSON. The following properties are not supported by the exporter:

- Custom Graphics and their locations
- Edge Bends
- Nested Networks
- Network Background (Note: This can be set manually as standard CSS in Cytoscape.js)

The Continuous-Discrete Editor is used to create mappings from numerical data values to discrete properties, such as font, shape, or line style. To edit a value for a specific region, double-click on the icon on the track.

## Importing Styles

To import existing styles, navigate to the **File** → **Import** → **Style...** menu option and select a `styles.xml` (Cytoscape 3 format) file. Imported properties will supplement existing properties or override existing properties if the properties have the same name. You can also specify a style file using the `-V` command line option. Properties loaded from the command line will override any default properties. Note that legacy `.props` files can only be loaded via the **File** → **Import** → **Style...** menu option, but not by command line.

# App Manager

## What are apps?


Cytoscape's capabilities are not fixed. They can be expanded with **apps**. They can extend Cytoscape in a variety of ways. One app can have the ability to import data from an online database. Another app could provide a new method for analyzing networks. You can install apps after you have installed Cytoscape. Most apps were made by Cytoscape users like you.

If you're familiar with Cytoscape 2.x, you probably know that Cytoscape apps were called **plugins**. Starting in Cytoscape 3.0, we are calling them **apps**. Cytoscape 2.x plugins cannot be used in Cytoscape 3.0.

## Installing Apps

You can install apps through the App Store or within Cytoscape. In this section, we'll talk about installing apps through Cytoscape. You can learn how to install apps through the App Store [here](#).

To install apps within Cytoscape, go to the menu bar and choose **Apps** → **App Manager**. At the top of the **App Manager** window, make sure you have the **Install** tab selected.



There are three ways you can find apps:

- If you know the name of an app you're looking for, enter it in the **Search** field. The App Manager will list the apps whose names or descriptions match the **Search** field in the middle panel.
- If you have a general idea of what sort of app you're looking for, double-click on the **apps by tag** folder, then click on one of the tags that interests you. The apps with that tag are listed in the middle panel.
- If you're not sure what sort of app you want to see everything, click the **all apps** folder. In the middle pane, you will see a list of all the apps.

When you click on an app in the middle panel, the App Manager shows its short description and icon in the right panel. If you want more information about the app, click the **View on App Store** button on the bottom-right. If you want to go ahead and install the app, click the **Install** button.

If you've downloaded an app to your computer, you can install it by clicking the **Install from File** button on the bottom-left.

## Managing your Installed Apps

You can see a list of all apps you have installed by clicking the **Currently Installed** tab at the top. When you click on an app in the list, you'll see a description of your app at the bottom. At the bottom, you'll see a couple buttons where you can:

- **Uninstall** an app. This deletes the app from your computer. If you want to reinstall the app, you will have to find it again in the **Install from App Store** tab or in the App Store site and reinstall it there.


- **Disable** an app. This temporarily disables the app. The app stays on your computer, but Cytoscape does not load it. You can enable the app by first selecting the disabled app in the list, then click **Enable**.

## Command Tool

The **Command Line Tool** provides a simple command-line interface to Cytoscape using the Commands API. Any app that registers commands will be available through the Command Tool. The Command Tool provides two main functions: first, a Command Line Dialog is available from **Tools** → **Command Line Dialog**, that allows the user to type commands into Cytoscape and see the results in a "Reply Log".



Second, and arguably more useful, it will read script files and execute them. Each line in the script file is a command that is sent to a app. Script files may be entered on the Cytoscape command line using the "-S" flag to Cytoscape, through the **File** → **Run...** menu item, or through **Tools** → **Execute Command File**.



Cytoscape commands consist of three parts: a command class, or namespace; a command within that namespace; and a series of arguments or options provided as a series of **name=value** pairs. For example, to import an XGMML format file from the **Command Line Dialog** or a command script, you would use:

```
network import file filePath="path-to-file"
```

where *network* is the namespace, *import file* is the command, and there is only one argument: *filePath="path-to-file"*. If there were more arguments they would appear on the same line separated by spaces.

The Command Tool also uses the Command API to provide help. "help" by itself will list all of the command classes (or namespaces) and "help " followed by a namespace will list all of the commands supported by that namespace. Details of a specific command are available by typing "help " followed by the namespace and command (e.g. "help layout force-directed"). The Command Tool registers the "command" namespace and supports a single command: run, which takes a file argument. Here is the help for the command run command from the command namespace:



```
help command run
  command run file=<File>
```

Similarly, the help for the "network import file" example from above is:


```
help network import file
  network import file RootNetworkList=<ListSingleSelection [Create new network]
```

## Merge

Cytoscape allows for merging of both network and table data, through **Tools** → **Merge**.

### Merge Networks

The **Advanced Network Merge** interface is available from **Tools** → **Merge** → **Networks...** and allows for merging of two or more networks.



### Basic Operations

- In the **Operation** drop-down, select either "union", "intersection" or "difference".
- Networks available for merge are listed under **Networks to merge**. Select a network from the list and click the right arrow to transfer the network to **Selected networks**. Click **Merge** to continue. The merged network will be displayed as a separate network.

### Advanced Options

The **Advanced Network Merge** interface includes an expandable **Advanced Network Merge** panel, where you can specify the details of how to merge the networks. The options available here are:

- **Matching columns:** This specifies the network columns that should be used for merging. Typically, the "name" column or some other column containing identifier information is used here.
- **How to merge columns?:** A table lets the user specify for each of the individual network columns, what the corresponding column in the merged network should be named and its data type.

Advanced Network Merge ▾

Matching columns (table columns to match nodes between networks)

MAPK Signaling Pathway	Cell Cycle
name	name

How to merge columns?

Node Edge

MAPK Signaling Pathway	Cell Cycle	Merged Network	Column type
name	name	Matching.Attribute	List<String>
Datasource	Datasource	Datasource	String
GeneID	GeneID	GeneID	String
GraphID	GraphID	GraphID	String
WP.type	WP.type	WP.type	String

## Merge Tables

# NetworkAnalyzer

NetworkAnalyzer computes a comprehensive set of topological parameters for undirected and directed networks, including:


- Number of nodes, edges and connected components.
- Network diameter, radius and clustering coefficient, as well as the characteristic path length.
- Charts for topological coefficients, betweenness, and closeness.
- Distributions of degrees, neighborhood connectiveness, average clustering coefficients, shortest path lengths, number of shared neighbors and stress centrality.

NetworkAnalyzer also constructs the intersection, union and difference of two networks. It supports the extraction of connected components as separate networks and the removal of self-loops.

## Network Analysis


### Analyze Network

To run NetworkAnalyzer, select **Tools** → **NetworkAnalyzer** → **Network Analysis** → **Analyze Network**.



The NetworkAnalyzer will determine whether your network contains directed or undirected edges. At this point, you can choose to ignore edge direction information.

When results are calculated, they will appear in the **Results Panel**.



The results have multiple tabs. Details on the network parameters can be found [here](#).

- **Simple Parameters**
- **Node Degree Distribution**
- **Avg. Clustering Coefficient Distribution**
- **Topological Coefficients**

- **Shortest Path Distribution**
- **Shared Neighbors Distribution**
- **Neighborhood Connectivity Distribution**
- **Betweenness Centrality**
- **Closeness Centrality**
- **Stress Centrality Distribution**

You can also save the statistics for later use by using the **Save Statistics** button.

## Analyze Subset of Nodes

An exhaustive topological analysis of very large networks can be a time consuming task. The computation of local parameters for the nodes is significantly faster than the computation of global (path-related) parameters. Examples of local parameters are node degree, neighborhood connectivity, topological and clustering coefficients. Betweenness and closeness centralities, as well as stress, are global parameters.

NetworkAnalyzer provides the **Analyze Subset of Nodes** option for computing local parameters for a subset of nodes. If one or more nodes in the network are selected before starting an analysis, only the sub-network induced by the selected nodes is analyzed. Moreover, only local parameters are computed. Shared neighbors distribution and shortest path lengths distribution, among others, are not displayed in the results.

## Batch Analysis

The **Batch Analysis** option is used to perform topological analysis on all networks stored in specific directory, using all possible interpretations for every network. Batch analysis consists of three simple steps:

- **Selecting directories:** The user selects the input and output directories. The input directory should contain network files that can be loaded into Cytoscape. Sub-directories of the input directory are not considered. The output directory is the one that will contain all analysis results after the batch analysis. In order to avoid file overwriting, NetworkAnalyzer requires that the output directory is empty (contains no files) before the batch analysis starts.
- **Analysis:** NetworkAnalyzer scans the input directory and loads all supported networks into Cytoscape, one at a time. Each loaded network is inspected and then it is analyzed considering all possible interpretations for it. The analysis step is complete after all networks are analyzed. Note that depending on the number of networks and their sizes, this might be a very time-consuming step.
- **Inspection of results:** After the analysis is complete, the button **Show Results** is enabled, and it displays the results dialog. The dialog contains a table of all topological analyses performed. Every row in the results table lists the loaded network, its interpretation and the resulting network statistics file that was saved in the output directory. By clicking on a network name and on statistics file name, the user can load the network and topology analysis results, respectively.

## Load Network Statistics

Existing network statistics can be loaded from a file saved previously in NetworkAnalyzer.

## Plot Parameters


The **Plot Parameters** dialog offers a possibility to plot two parameters against each other. The parameters to be plotted can be chosen from two drop-down menus. The **Table Column 1** menu provides the values for the domain/category axis, and the **Table Column 2** menu specifies the values for the range/value axis. The plot is updated each time a different parameter is selected in one of the menus.

## Generate Style from Statistics

NetworkAnalyzer computed parameters can be visualized as node/edge size and color, if the **Store node / edge parameters in node / edge table** option in **NetworkAnalyzer Settings** is enabled. Parameters loaded from a .netstats file cannot be visualized because the network itself is not stored in the network statistics file. If, after performing topological analysis, the network is modified by introducing or removing nodes or edges, it is recommended (and sometimes required) to run NetworkAnalyzer again before visualizing any parameters.

The visualization is initiated by the **Generate Style from Statistics...** menu option. There are two ways of mapping computed parameters.

- **Map to node / edge size:** The computed parameter is mapped to the size of the nodes or edges. Mapping can be straight or inverse, that is, low parameter values can be mapped to small sizes or to large sizes. The smallest node size is set to 10 and the largest one to 100. Regarding edges, size reflects the edge line width and varies between 1 and 8. Refer to the **Styles** section for details.
- **Map to node / edge color:** A computed parameter is mapped to the color of the nodes or edges. Two mapping styles are possible - mapping low parameter values to bright colors or to dark colors. By default, the brightest color is green and the darkest color is red. The mapping also uses a middle (intermediate) color, which allows for fine-grained perception of differing values through the color gradient. The default middle color is yellow.



## NetworkAnalyzer Settings

The following settings can be configured by the user:


- **Store node / edge parameters in node / edge table:** For every node in a network, NetworkAnalyzer computes its degree (in- and out-degrees for directed networks), its clustering coefficient, the number of self-loops, and a variety of other parameters. NetworkAnalyzer also computes edge betweenness for each edge in the network. If the respective options are enabled, NetworkAnalyzer can store the computed

values as columns of the corresponding nodes and edges. This enables the users to use the values in Styles or to select nodes or edges based on the values. A complete list of the computed node and edge columns is available [here](#).

- **Use expandable dialog interface for the display of network statistics:** If this option is enabled, analysis results are presented in a window in which all charts are placed below each other in expandable boxes. If this option is disabled, analysis results are presented in a window that contains tabs for the group of simple parameters and for every complex parameter (default). Users who wish to simultaneously view two or more complex parameters of one network, should enable this option.
- NetworkAnalyzer allows the user to change the default colors of parameter visualization.
  - **Background color for parameter visualization:** The color of the background in the network view. It is initially set to the default Cytoscape background color.
  - **Bright color to map parameters:** This color defines the brightest color that parameters can be mapped to. By default its value is green.
  - **Middle color:** This color defines the intermediate color, that parameters can be mapped to. By default its value is yellow.
  - **Dark color:** This color defines the darkest color that parameters can be mapped to. By default its value is red.
- **Location of the help documents:** URL of the original help web page for NetworkAnalyzer. This also enables the local download and storage of this help page.

## Subnetwork Creation

NetworkAnalyzer allows for the creation of sub-networks of connected components. The user selects a number of connected components from a list and each selected components is visualized as a sub-network.




# Cytoscape Preferences


## Managing Properties

The Cytoscape properties editor, accessed via **Edit** → **Preferences** → **Properties...**, is used to specify default properties. Any changes made to these properties will be saved in .props files under the `CytoscapeConfiguration` subdirectory of the user's home directory.

Cytoscape properties are configurable using the Add, Modify and Delete buttons as seen below.




App properties may also be edited in the same way as editing Cytoscape properties. For example, to edit the properties of Linkout, select 'linkout' from the combobox of the Preferences Editor. Some apps may store properties inside session files in addition to (or instead of) storing them in the `CytoscapeConfiguration` directory.



## Managing Bookmarks

Cytoscape contains a pre-defined list of bookmarks, which point to sample network files located on the Cytoscape web server. Users may add, modify, and delete bookmarks through the Bookmark manager, accessed by going to **Edit** → **Preferences** → **Bookmarks...**






There are currently several types of bookmarks (based on data categories), including network and table. Network bookmarks are URLs pointing to Cytoscape network files. These are normal networks that can be loaded into Cytoscape. Table bookmarks are URLs pointing to data table files.

## Managing Proxy Servers

You can define and configure a proxy server for Cytoscape by going to **Edit** → **Preferences** → **Proxy Settings**....




After the proxy server is set, all network traffic related to loading a network from URL will pass through the proxy server. Cytoscape apps use this capability as well. The proxy settings are saved in `cytoscape3.props`. Each time you click the OK button after making a change to the proxy settings, an attempt is made to connect to a well known site on the Internet (e.g., google.com) using your settings. For both success and failure you are notified and for failure you are given an opportunity to change your proxy settings.

If you no longer need to use a proxy to connect to the Internet, simply set the Proxy type to "direct" and click the OK button.

## Managing Group View

The configuration of Cytoscape group view may also be edited through **Edit** → **Preferences** → **Group Preferences**....



## Linkout

Linkout provides a mechanism to link nodes and edges to external web resources within Cytoscape. Right-clicking on a node or edge in Cytoscape opens a popup menu with a list of web links.


The external links are specified in a `linkout.props` file which is internal to Cytoscape. The defaults include a number of links such as Entrez, SGD, iHOP, and Google, as well as a number of species-specific links. In addition to the default links, users can customize the **External Links** menu and add (or remove) links by editing the linkout properties (found under **Edit** → **Preferences** → **Properties...**).

External links are listed as '*key*'-'*value*' pairs in the `linkout.props` file where *key* specifies the name of the link and *value* is the search URL. The LinkOut menus are organized in a hierarchical structure that is specified in the key. Linkout key terms specific for nodes start with the keyword `nodelinkouturl`, for edges this is `edgelinkouturl`.

For example, the following entry:

```
nodelinkouturl.Model Organism DB.SGD (yeast)=http://www.yeastgenome.org/cgi-bin/lo
```

places the SGD link under the Model Organism DB submenu. This link will appear in Cytoscape as:



In a similar fashion one can add new submenus.

The `%ID%` string in the URL is a place-holder for the node label. When the popup menu is generated this marker is substituted with the node label. In the above example, the generated SGD link for the YNL050C protein is:

```
http://www.yeastgenome.org/cgi-bin/locus.fpl?locus=YNL050C
```


If you want to query based on a different column, you need to specify a different node label using Styles.

For edges the mechanism is much the same; however here the placeholders `%ID1%` and `%ID2%` reflect the source and target node label respectively.

Currently there is no mechanism to check whether the constructed URL query is correct and if the node label is meaningful. Similarly, there is no ID mapping between various identifiers. For example, a link to NCBI Entrez from a network that uses Ensembl gene identifiers as node labels will produce a link to Entrez using the Ensembl ID, which results in an incorrect link. It is the user's responsibility to ensure that the node label that is used as the search term in the URL link will result in a meaningful link.

## Adding and Removing Links

The default links are defined in a `linkout.props` file contained inside the Linkout JAR bundle under the `framework/system/org/cytoscape/linkout-impl` subdirectory of the Cytoscape installation. These links are normal Java properties and can be edited by going to **Edit** → **Preferences** → **Properties...** and selecting linkout from the box (shown below). Linkouts can be modified, added or removed using this dialog; however, note that the modifications would not be stored in the file. To change a URL permanently, you would need to edit the `linkout.props` file directly.




In addition, new links can be defined when starting Cytoscape from command line by specifying individual properties. The formatting of the command is `cytoscape.sh -P [context_menu_definition]=[link] .context_menu_definition` specifies the context menu for showing the linkout menu item. The structure of this definition is ". " separated and the first item needs to be either `nodelinkouturl` or `edgelinekouturl`. The former will add the linkout item as a node context menu and the latter will add it as an edge context menu. The rest of the definition would define the hierarchy of the menu.

For instance this command:

```
cytoscape.sh -P nodelinkouturl.yeast.SGD=http://db.yeastgenome.org/cgi-bin/locus.p
```

will add this menu item:




To remove a link from the menu, simply delete the property using **Edit** → **Preferences** → **Properties...** and selecting **commandline**. Linkouts added in the command line will be available for the running instance of Cytoscape.


## Panels

### What are Panels?

**Panels** are floatable/dockable panels designed to cut down on the number of pop-up windows within Cytoscape and to create a more unified user experience. They are named based on their functions -- **Control Panel**, **Table Panel**, **Tool Panel** and **Result Panel**. The following screenshot shows the file `gal-Filtered.sif` loaded into Cytoscape, with a force-directed layout, **Align and Distribute** tools showing in the **Tool Panel**, and with results from Network Analyzer (**Tools** → **Network Analysis** → **Analyze Network**). The **Control Panel** (at the left-hand side of the screen) contains the Network Manager, Network Overview, Styles and Select tabs. On the bottom of the panel, there is another panel called **Tool Panel**. In the **Table Panel**, the **Node Table** is shown. In addition, analysis results from Network Analyzer are shown in **Result Panel** (at the right-hand side).



The user can then choose to resize, hide or float Panels. For example, in the screenshot below, the Network, Table and Results panels are floating and the Tool Panel is hidden:




## Basic Usage

Cytoscape includes four Panels: the **Control Panel** on the left, **Tool Panel** on the bottom of the **Control Panel**, the **Table Panel** on the bottom right, and the **Result Panel** on the right. By default, only the **Control Panel** and the **Data Panel** will appear. The **Result Panel** may appear, depending on the mix of Cytoscape

apps that you currently have installed. The **Tool Panel** will appear when you select the following commands under the **Layout** menu: **Rotate**, **Scale**, and **Align and Distribute**.

All panels can be shown or hidden using the **View** → **Show/Hide** functions.



In addition, Panels can be floated or docked using icon buttons at the top right corner of each Panel. The **F l o a t** **W i n d o w** **c o n t r o l**



will undock any panel which is useful when you want assign the network panel as much screen space as possible. To dock the window again, click the **Dock Window** icon



C l i c k i n g t h e **H i d e** **P a n e l** **i c o n**



will hide the panel; this can be shown again by choosing **View** → **Show** and selecting the relevant panel.

## Rendering Engine

### What is Level of Detail (LOD)?

Cytoscape 3.0 retains the rendering engine found in version 2.8. It is to be able to display large networks (>10,000 nodes), yet retain interactive speed. To accomplish this goal, a technique involving **level of detail (LOD)** is being used. Based on the number of objects (nodes and edges) being rendered, an appropriate **level of detail** is chosen. For example, by default, node labels (if present) are only rendered when less than 200 nodes are visible because drawing text is a relatively expensive operation. This can create some unusual behavior. If the screen currently contains 198 nodes, node labels will be displayed. If you pan across the network, such that now 201 nodes are displayed, the node labels will disappear. As another example, if the sum of rendered edges and rendered nodes is greater than or equal to a default value of 4000, a very coarse level of detail is chosen, where edges are always straight lines, nodes are always rectangles, and no anti-aliasing is done. The default values used to determine these thresholds can be changed by setting properties under **Edit** → **Preferences** → **Properties...**

#### Low LOD vs High LOD

Network with <b>Low</b> LOD	Network with <b>High</b> LOD

With low LOD values, all nodes are displayed as square and anti-aliasing is turned off. With high LOD values, anti-aliasing is turned on and nodes are displayed as actual shape user specified in the Style.

## Parameters for Controlling LOD

**NOTE:** The greater these thresholds become, the slower performance will become. If you work with small networks (a few hundred nodes), this shouldn't be a problem, but for large networks it will produce noticeable slowing. The various thresholds are described below.

render.coarseDetail-Threshold	If the sum of <i>rendered</i> nodes and <i>rendered</i> edges equals to or exceeds this number, a very coarse level of detail will be chosen and all other detail parameters will be ignored. If the total number of nodes and edges is below this threshold, anti-alias will be turned on; this value defaults to 4000.
render.nodeBorder-Threshold	If the number of <i>rendered</i> nodes equals to or exceeds this number, node borders will not be rendered; this value defaults to 400.
render.nodeLabelThreshold	If the number of <i>rendered</i> nodes equals to or exceeds this number, node labels will not be rendered; this value defaults to 200.
render.edgeArrow-Threshold	If the number of <i>rendered</i> edges equals to or exceeds this number, edge arrows will not be rendered; this value defaults to 600.
render.edgeLabelThreshold	If the number of <i>rendered</i> edges equals to or exceeds this number, edge labels will not be rendered; this value defaults to 200.

When printing networks or exporting to formats such as PostScript, the highest level of detail is always chosen, regardless of what is currently being displayed on the screen.

## Force to Display Detail

If you want to display every detail of the network regardless of LOD values, you can toggle to full details mode by **View → Show Graphics Details (or CTR+SHIFT+F on Windows/Linux, Command+SHIFT+F for Mac)**. This option forces the display of all graphics details. If the network is large, this option slows down rendering speed. To hide details, select the menu item again (**View → Hide Graphics Details**).



# Cytoscape.js and Cytoscape

## What is Cytoscape.js?

The screenshot shows the Cytoscape.js website at [cytoscape.github.io/cytoscape.js/](http://cytoscape.github.io/cytoscape.js/). The page title is "Cytoscape.js 2.0.3". The main content area describes it as a JavaScript graph library for analysis and visualization, compatible with CommonJS/Node.js, jQuery 1.4+, and plain JavaScript. It provides links to GitHub, Downloads, Live code examples, Twitter, Previous questions, Ask a question, File an issue, and Future version milestones.

A code example is shown in a text area, demonstrating how to load Cytoscape.js and create a network visualization. The code is as follows:

```
$(loadCy = function(){
  options = {
    showOverlay: false,
    minZoom: 0.5,
    maxZoom: 2,


    style: cytoscape.stylesheet()
      .selector('node')
      .css({
        'content': 'data(name)',
        'font-family': 'helvetica',
        'font-size': 14,
        'text-outline-width': 3,
      })
  }
  // ... (rest of the code)
});
```

The visualization shows a network with four nodes: Jerry, Elaine, Kramer, and George. Jerry and Elaine are connected by a bidirectional arrow. Jerry is connected to Kramer and George. Elaine is connected to Kramer and George. Kramer and George are also connected to each other.


Cytoscape.js is a **JavaScript library** for interactive network visualization. It is a building block for web applications and is **NOT** a complete web application. If you have network data sets and want to share visualizations created with Cytoscape, you can build your own website using Cytoscape.js and this new **Export to Cytoscape.js** feature.

## Examples

- A network visualized with Cytoscape 3.1.0



- Same network exported to Cytoscape.js (Rendered with Google Chrome and Cytoscape.js 2.0.3)



- Interactive example (galFiltered.sif rendered with Cytoscape.js 2.0.3)

## Differences and Shared Concepts

Although Cytoscape and Cytoscape.js are two completely independent software packages, they are sharing higher level concepts. The following is the list of similarities and differences between the two:

### Cytoscape

- **Desktop application** for network visualization written in Java programming language
- Needs desktop or laptop computers to run
- Users have to install Java runtime
- High performance application for large scale network analysis and visualization
- Expandable by Apps
- Use **Styles** to map data to network properties, such as node color, edge width, node shape, etc.

### Cytoscape.js

- A **JavaScript library** for network visualization, **NOT** a complete web application nor mobile app
- Runs on most of modern web browsers, including tablets and smart phones

- No plugins are required to run. Modern web browser is the only requirement
- Need to write code to set up your web site or web application
- Expandable by Extensions
- Use **CSS-based Styles** to map data to network properties

In a long term, Cytoscape and Cytoscape.js will be more integrated, and as the first step Cytoscape now supports reading and writing Cytoscape.js network/table JSON files. In addition, Cytoscape can convert *Styles* to Cytoscape.js Style object.

## Data Exchange between Cytoscape and Cytoscape.js

Since Cytoscape.js is a JavaScript library, its basic data exchange format is JSON (JavaScript Object Notation). All of these import/export functions are part of standard Cytoscape user interface, and you can read/write Cytoscape.js JSON files just like other standard files such as SIF.

### Export Network and Table to Cytoscape.js

Cytoscape.js stores network data (graph) and its data table in the same object. Cytoscape writes such data complex as JSON, i.e., both network and data tables will be exported as a single JSON file. You can select a network and export it from **File** → **Export** → **Network**.

Cytoscape only supports one of the Cytoscape.js supported JSON formats, which is:

```
{
  elements:{
    nodes:[ ],
    edges:[ ]
  }
}
```

**SUID** will be used as unique identifier for nodes and edges in the JSON. For more information about this format, please visit Cytoscape.js web site.

### Important Note about Data Compatibility

Cytoscape creates JSON file directly from data table and tries to extract as much data as possible from the original table. However, since table column names will be directly converted into JavaScript variable names, invalid characters will be replaced by underscore (\_):

- Original Data Table Column Names:

```
Gene Name
KEGG.pathway
```

- The Names above will be replaced to:

```
Gene_Name
KEGG_pathway
```



## Questions?

If you have questions and comments about web application development with Cytoscape and Cytoscape.js, please send yours to our mailing list.

# Scripting

## Scripting in Cytoscape 3

Scripting language support is an experimental feature in Cytoscape 3. Java runtime environment comes with built-in scripting language support and Cytoscape uses it to execute tasks written in standard languages such as JavaScript.

This feature is for advanced users. If you just want to automate some basic tasks, such as loading network, you can use Command instead.

## Run Cytoscape from Command Line

To use Scripting feature, you need to start Cytoscape from console. In Cytoscape application directory, you can find *cytoscape.sh* (for Windows, *cytoscape.bat*). This is a shell script to start Cytoscape from command line.



```

3. ./cytoscape.sh (java)
/Applications/Cytoscape_v3.1.0-BETA2 ▶ ./cytoscape.sh

Cytoscape 3.1.0-BETA2

Hit '<tab>' for a list of available commands
and '[cmd] --help' for help on a specific command.
Hit '<ctrl-d>' or 'osgi:shutdown' to shutdown Cytoscape.

Cytoscape 3.1.0-BETA2>

```

Once you run Cytoscape from command line, you can use Apache GOGO OSGi Shell. If you type:

```
help cytoscape:script
```

the shell displays help message how to use script files in Cytoscape.

```

3 ../cytoscape.sh (java)
Cytoscape 3.1.0-BETA2> help cytoscape:script
DESCRIPTION
  cytoscape:script

  Execute scripts

SYNTAX
  cytoscape:script [options] engine filename [arg]

ARGUMENTS
  engine      Name of scripting engine
  filename    Script file name
  arg         Optional arguments for the script

OPTIONS
  --help     Display this help message

DETAILS
  Execute script in the file.
Cytoscape 3.1.0-BETA2>

```

## JavaScript

JavaScript is supported by default. To run your script, type:

```
cytoscape:script javascript SCRIPT_FILE_NAME
```

also, you can pass optional command line arguments.

### Sample Script: Create complete graph

```

// Generate a complete graph

// Extract command-line arguments
var numberOfNodes = args[0];
if(numberOfNodes == null)
    numberOfNodes = 10;

// Create new network
var newNetwork = cyAppAdapter.getCyNetworkFactory().createNetwork();
newNetwork.getRow(newNetwork).set("name", "Complete Graph with " + numberOfNodes +

// Register the new network to Network Manager
cyAppAdapter.getCyNetworkManager().addNetwork(newNetwork);

// Add nodes
var nodes = [];
for( i = 0; i < numberOfNodes; i++) {
    var nodeName = "Node " + i;
    var node = newNetwork.addNode();

```

```

        newNetwork.getRow(node).set("name", nodeName);
        nodes[i] = node;
    }

    // Add edges
    var edgeCount = 0;
    for( i = 0; i < numberOfNodes; i++) {
        var source = nodes[i];
        for( j = 0; j < numberOfNodes; j++) {
            var target = nodes[j];
            if(newNetwork.containsEdge(source, target) == false &&
                newNetwork.containsEdge(target, source) == false &&
                var edge = newNetwork.addEdge(source, target, true);
                newNetwork.getRow(edge).set("name", "Edge " + edgeCount++);
                newNetwork.getRow(edge).set("interaction", "interacts_with");
            }
        }
    }
}

```

This script is available here: <https://gist.github.com/keiono/7915968>

By default, *cyAppAdapter* object will be injected, just like Simple Apps. You can access basic functions from this object. For more information, please read Cytoscape API document.


## Experimental: Adding Other JSR 223 Compatible Scripting Engines

**Warning: This method directly adds ALL classes provided by the library to your classpath. Maybe there are some side-effects to other OSGi Apps.**

In theory, you can use full features of scripting languages written on top of JVM by adding JSR 223 (Scripting for the Java Platform) compatible Scripting Engines to Cytoscape runtime. The description below is how to add new scripting languages to Cytoscape 3.

### Adding New Scripting Languages to Cytoscape

Scripting feature in Cytoscape is very simple. Cytoscape just searches available JSR 223 compatible Scripting Engines and use specified Engine when user runs a script file. To add a new Scripting Engine, simply add the JAR files to *CYTOSCAPE\_APPLICATION\_DIR/framework/lib/ext/*. For example, if you want to add Python (Jython) scripting engine, copy the standalone jar file to this directory:



Now it's ready to use. Just specify scripting engine in the command line arguments.



## Python

Support for Python can be added by importing Jython Scripting Engine. Simply copy standalone version of JAR file to the ext directory. Access to cyAppAdapter is also available for Python.

### Sample Script

This script creates a complete graph with 20 nodes:

```
#
# Python Script to generate complete graph
#

NUM_NODES = 20

print "Creating complete graph with " + str(NUM_NODES) + " nodes..."


new_network = cyAppAdapter.getCyNetworkFactory().createNetwork()
new_network.getRow(new_network).set("name", "Complete Graph Created by Python Scri
cyAppAdapter.getCyNetworkManager().addNetwork(new_network);

# Add nodes
nodes = [];
for i in range (NUM_NODES):
    node_name = "Node " + str(i)
    node = new_network.addNode()
    new_network.getRow(node).set("name", node_name)
    nodes.append(node)

# Add edges
edge_count = 0;
for source in nodes:
    for target in nodes:
        if new_network.containsEdge(source, target) is False \
            and new_network.containsEdge(target, source) is False \
            and source is not target:
            edge = new_network.addEdge(source, target, True)
            edge_count = edge_count + 1
            new_network.getRow(edge).set("name", "Edge " + str(edge_count))
            new_network.getRow(edge).set("interaction", "interacts_with")
```

To run, type:

```
cytoscape:script python /ABS_PATH_TO_SCRIPT/complete_graph.py
```



Source code is available here: <https://gist.github.com/keiono/7919559>

## Clojure

The original Clojure distribution does not contain JSR 223 implementation. You need to build this library to run Clojure scripts.

```

; Node Names - sequence of integers.
(def nodenames (take 500 (range)))

; Create new network and register it to manager
(def newnet (. (. cyAppAdapter getCyNetworkFactory) createNetwork))
(.. newnet (getRow newnet) (set "name" "Random Network Created by Clojure Script"))
(.. cyAppAdapter (getCyNetworkManager) (addNetwork newnet))

; Create nodes
(doseq [nodename nodenames]
  (.. newnet (getRow (. newnet addNode))
    (set "name" (str nodename))))

; Add random edges
(def nodes (. newnet getNodeList))
(doseq [node nodes]
  (. newnet addEdge node (rand-nth nodes) false))

```

<https://gist.github.com/keiono/7938418>

## Tips for Debugging Your Scripts

### Log

To display log messages, use this command:

```
tail -f ~/CytoscapeConfiguration/3/framework-cytoscape.log
```

### Known Issues

Since dependencies are added in Classpath, you cannot access static methods in Cytoscape core API. The only way to access those is put actual API JAR files to system classpath.

## Cytoscape Privacy Policy

We respect the privacy of all Cytoscape users, and we do not collect any information on Cytoscape users except in the situations listed below. In no case do we attempt to tie any of this information back to a user, nor do we give, share, sell, or transfer this information to any third party unless required by law. We use this information only in the aggregate to generate statistics to assist in securing continued funding for Cytoscape.

- On the Cytoscape download web page, we request your name, organization, and e-mail address, though you are not obligated to provide them. When you actually download Cytoscape, we log the date and time and the IP address to which we deliver Cytoscape.
- For a news feed fetched for display on the Cytoscape Welcome screen, we log the date and time the news was fetched, and the IP address and browser signature for the workstation running Cytoscape.

This policy may change from time to time, and if it does, we will notify you via the Cytoscape Welcome screen news feed and via our normal mass notification media. We will also update this section of the user manual.

Note that some internal Cytoscape Apps and Apps available through the Cytoscape App Store connect with third party services via the Internet. Once an App links to such a service, you are subject to the privacy policy of that service.